

+TRAVEL

+COMFORT

+PASSION

RAPIDO



CAMPERVANS | COMPACT LOW-PROFILE | COMPACT A-CLASS | LOW-PROFILE | A-CLASS

CAMPERVAN SERIES

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.

OPTIMUM Line



V55

OPTIMUM Line




V62

	V55	V62
VEHICLE DIMENSIONS (M)		
Overall length	5,99	6,36
Overall width (excluding wing mirrors)	2,05	2,05
Overall width with wing mirrors folded in	2,51	2,51
Overall width with wing mirrors open	2,69	2,69
Overall height	2,63	2,63
SEATS		
Registered (driving) seats	4	4
People dining space	4	5
Berths	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	3,5 T / 4,25 T	3,5 T / 4,25 T
Permissible Gross Combined Weight (GCW)	LIGHT: 6 T HEAVY: 6,5 T	LIGHT: 6 T HEAVY: 6,5 T
Mass in Running Order (MIRO) (kg)	3045	3025
Payload (kg)	455	475
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Type chassis	L3H2	L4H2
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Rear track (m)	1,79	1,79
Kerb-to-kerb turning circle (m)	14,28	14,28
STORAGE AREA/GARAGE (CM, MAX.)		
Width	87	106
Length	128	120/82
Height	67	71
Heated	•	•
Storage area with stowage hooks	•	•
HEATING		
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)		
Rear bed	1950 x 1320	1980 x 1250
Extra dinette bed	1850 x 970/635	1850 x 970/685
AUTONOMY (LITRES)		
Fresh water **[A]**	10/110	10/110
Waste water	85	85
Type of refrigerator	Compression	Compression
Refrigerator volume	149	146
Gas bottle capacity	1 x 2,75 kg butane	1 x 2,75 kg butane

[A] Fresh water tank can be filled up to 110 L, which results in a lower payload.

• = Standard, - = Not available



NEW





	V64	V65XL	V68
VEHICLE DIMENSIONS (M)			
Overall length	6,36	6,36	6,36
Overall width (excluding wing mirrors)	2,05	2,05	2,05
Overall width with wing mirrors folded in	2,51	2,51	2,51
Overall width with wing mirrors open	2,69	2,69	2,69
Overall height	2,63	2,92	2,63
SEATS			
Registered (driving) seats	4	4	4
People dining space	4	4	4
Berths	2+1	2+2	2+1
WEIGHT			
Gross vehicle weight (GVW)	3,5 T / 4,25 T	3,5 T / 4,25 T	3,5 T / 4,25 T
Permissible Gross Combined Weight (GCW)	LIGHT: 6 T HEAVY: 6,5 T	LIGHT: 6 T HEAVY: 6,5 T	LIGHT: 6 T HEAVY: 6,5 T
Mass in Running Order (MIRO) (kg)	3025	3050	3025
Payload (kg)	475	450	475
CHASSIS			
Chassis	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
Type chassis	L4H2	L4H3	L4H2
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035	4,035
Rear track (m)	1,79	1,79	1,79
Kerb-to-kerb turning circle (m)	14,28	14,28	14,28
STORAGE AREA/GARAGE (CM, MAX.)			
Width	65/151	87	133
Length	186/85	130	103/66
Height	63	67	67
Heated	•	•	•
Storage area with stowage hooks	•	•	•
HEATING			
Type of heating	WEBASTO 4 kW DIESEL	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)			
Rear bed	1950 x 1400	1950 x 1370	1950 x 800 + 1930 x 800
King size bed extension	-	-	1920 x 1300
Extra dinette bed	-	-	1850 x 970/725
Extra cab bed	1560 x 630	-	-
Drop-down bed	-	1300 x 1900/1800	-
AUTONOMY (LITRES)			
Fresh water **[A]**	10/110	10/110	10/110
Waste water	85	85	85
Type of refrigerator	Compression	Compression	Compression
Refrigerator volume	140	149	146
Gas bottle capacity	2 x 2,75 kg butane	1 x 2,75 kg butane	1 x 2,75 kg butane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

CAMPERVAN SERIES

EQUIPMENT AND COMFORT

CAMPERVANS

	WEIGHT (KG)	V55 OPTIMUM Line	V62 OPTIMUM Line	V64	V65XL	V68
CONSTRUCTION						
XHP Xtrem Hybrid Protect insulation = polyurethane and polyether compound with aluminium beams		•	•	•	•	•
Floor with Styrofoam® insulation and polyester underbody		•	•	•	•	•
Moulded internal bodywork walls		•	•	•	•	•
BODYWORK AND OPENINGS						
White bodywork paint		•	•	•	•	•
Artense Grey / Expedition Grey / Iron Grey bodywork paint		•	•	O	O	O
Front bumper in bodywork colour + black skid plate + fog lights		•	•	•	•	•
Exterior decoration with OPTIMUM LINE logo		•	•	-	-	-
Side sliding flyscreen door		•	•	•	•	•
Electric entry step		•	•	•	•	•
Polyurethane-framed double-glazed living area windows with blind and flyscreen		•	•	•	•	•
Greater headroom in driver's cab		•	•	•	-	•
SKYVIEW panoramic roof	20	O	O	O	-	O
Large living room skylight with flyscreen and blind		•	•	•	-	•
Left rear door window		•	-	-	•	O
Right rear door window		•	O	-	•	O
Extreme cold insulation kit for rear doors	2	O	O	O	O	O
External right side LED lighting		•	•	•	•	•
HEATING						
TRUMA heating with CP PLUS control panel		•	•	-	•	•
TRUMA Combi 4 DIESEL		•	•	-	•	•
TRUMA Combi 6 EH DIESEL (diesel + electricity)		O	O	-	O	O
Altitude fuel heating kit (only for diesel heating)		•	•	-	•	•
4,000 Watt WEBASTO fuel heating		-	-	•	-	-
5,500 Watt WEBASTO fuel heating		-	-	O	-	-
8-litre WHALE gas water heater		-	-	•	-	-
8-litre WHALE water heater with electric heating element (gas + electricity)	1	-	-	O	-	-
Floor heating in living area (230 V)		O	O	O	O	O
SKYVIEW heating duct (requires SKYVIEW)		• (SKYVIEW)	• (SKYVIEW)	• (SKYVIEW)	-	• (SKYVIEW)
Heated waste water tank		O	O	O	O	O
STYLE						
PALATINA (with solid maple wood) or AURORA furniture		•	•	•	•	•
ALICANTE fabric upholstery		-	-	•	•	•
TEP* upholstery: MILAN		O	O	O	O	O
TEP* upholstery: PALMA OPTIMUM LINE (PALATINA furniture)		•	•	-	-	-
TEP* upholstery: NOUMEA OPTIMUM LINE (AURORA furniture)		•	•	-	-	-
Fabric upholstery: ALBA		O	O	O	O	O
Laminate surface on table and worktop		•	•	•	•	•
Interior LED lighting		•	•	•	•	•
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED
LIVING ROOM						
Backlit living room window finish		•	•	•	•	•
Additional single bed		•	•	•	-	•
Living room table with swivel extension		•	•	-	-	•
Retractable SLIDE TABLE		-	-	•	-	-
12V-HDMI wiring for TV		•	•	•	•	•
TV mount		•	•	•	•	•
Day/night partition		•	-	•	•	•
Height-adjustable headrests		•	•	•	•	•
Depth-adjustable bench seat		•	•	•	•	•
Isofix attachment system		•	•	•	•	•
Storage chest under dinette table		•	•	•	•	•
Storage drawer with external shelf		-	-	•	-	-
Drop-down bed with slat base and BULTEX® foam mattress		-	-	-	•	-
KITCHEN						
Worktop extension		•	•	•	•	•
Spice rack		•	•	•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•	•	•
Self-closing drawers with electric central locking and 'unlocked drawer' alarm when engine starts		•	•	•	•	•
Storage under the kitchen unit with drawers/pot drawers featuring robust PVC internal finish		•	•	•	•	•
Cutlery tray		•	•	•	•	•
Brass tap with ceramic cartridge		•	•	•	•	•
Stainless steel stovetop with 2 burners and glass cover		•	•	•	•	•
Generous smooth stainless steel sink with glossy black glass cover		•	•	•	•	•
Wire bottle storage basket		-	•	-	•	•
Refrigerator with freezer		•	•	•	•	•
20-litre oven with grill	15	O / • (P RHD)	-	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
22-litre oven with grill	15	-	O / • (P RHD)	-	-	-
BATHROOM						
Upper storage unit		•	•	•	•	•
Independent shower		•	-	-	•	-
Shower in the washroom		-	•	•	-	•
Shower column with Plexiglas finish and shower head		-	-	•	-	•
Shower tray with shower curtain		-	•	-	-	-
MODUL'SPACE®: shower area with swivel wardrobe and shower door		•	-	-	•	-
DUO'SPACE: swivelling partition to separate the shower from the washroom		-	-	•	-	•
White basin		•	•	•	•	•
Protective surface on shower walls		•	•	•	•	•
Shower duckboard		-	•	•	-	•
Towel rail		•	•	•	•	•
Cup holder and cup		•	•	•	•	•
Toilet with removable cassette tank, telescopic handle and castors		• 18 L	• 18 L	• 18 L	• 18 L	• 18 L
BEDROOM						
Permanent bed with active multilayer slats and highly durable BULTEX® foam mattress		•	•	•	•	•
Removable pull-out slat beds for more storage space		•	-	-	•	-
Side storage alcoves with outlet		•	•	•	•	•
Adjustable headboard with storage area access		-	-	•	-	-
Mattress topper with memory foam on permanent bed	6	O	O	O	O	O
Mattress protection kit		O	O	O	O	O

* TEP: Polyamide-coated fabric.
• = Standard, O = Option, - = Not available

CAMPERVANS

	WEIGHT (KG)	V55 OPTIMUM Line	V62 OPTIMUM Line	V64	V65XL	V68
POWER & COMFORT						
Living-area battery circuit breaker		•	•	•	•	•
2 x 80 Ah AGM living area batteries (with coupler and separator)		-	-	•	•	•
150 Ah LITHIUM living-area battery (with coupler, separator and booster)		•	•	P ENERGY	P ENERGY	P ENERGY
2,000W inverter with battery shut-off	5	•	•	-	-	-
'Coming home' mode with automatic awning light and interior mood lighting		•	•	•	•	•
Digital control panel		•	•	•	•	•
Speakers in the lounge and bedroom		•	•	•	•	•
Centralised fuse box with protected 'accessories' outlets		•	•	•	•	•
External 230 V charging socket		•	•	•	•	•
Internal 230 V socket		4	4	3	4	3
Internal 12 V socket		2	2	2	2	2
Internal 5 V USB port		4	4	4	4	4
Living area carpet	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Cab carpet	2	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O	O	O
Control gauge for fresh and waste water tanks		•	•	•	•	•
Solar panel wiring setup		-	-	•	•	•
150W solar panel (factory-installed)	9	•	•	P ENERGY	P ENERGY	P ENERGY
Expansion tank in fresh water system for constant pressure		•	•	•	•	•
Outside shower with hot/cold water	1	•	•	•	•	•
VEHICLE FITTINGS**						
FIAT 140 hp manual transmission, 3.5 T - LD		-	-	•	• /- (RHD)	•
FIAT 140 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	•	•	O	O /- (RHD)	O
FIAT 140 hp automatic transmission, 4.25 T - HD (vs 140 hp automatic transmission 3.5 T)	40	O /- (RHD)	O /- (RHD)	-	-	-
FIAT 140 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	-	O /- (RHD)	O /- (RHD)	O /- (RHD)
FIAT 160 hp manual transmission, 3.5 T - HD (vs 140 hp manual transmission 3.5 T)	0	-	-	-	- / O Mandatory (RHD)	-
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp automatic transmission 3.5 T)	0	O	O	-	-	-
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp manual transmission 3.5 T)	5	-	-	O	O	O
FIAT 160 hp automatic transmission, 3.5 T 35H - HD (vs 140 hp automatic transmission 3.5 T)	0	O	O	-	-	-
FIAT 160 hp automatic transmission, 3.5 T 35H - HD (vs 140 hp manual transmission 3.5 T)	5	-	-	O	O /- (RHD)	O
FIAT 160 hp automatic transmission, 3.5 T 35H - HD (vs 160 hp manual transmission 3.5 T)	5	-	-	-	- / O (RHD)	-
FIAT 160 hp automatic transmission, 4.25 T - HD (vs 140 hp automatic transmission 3.5 T)	40	O	O	-	-	-
FIAT 160 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	-	O	O	O
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp automatic transmission 3.5 T)	0	O	O	-	-	-
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	-	-	O	-	O
FIAT 180 hp automatic transmission, 3.5 T 35H - LD (vs 140 hp manual transmission 3.5 T)	45	-	-	-	O	-
FIAT 180 hp automatic transmission, 4.25 T - HD (vs 140 hp automatic transmission 3.5 T)	40	O /- (RHD)	O	-	-	-
FIAT 180 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	-	O	O /- (RHD)	O
15" steel rims with hub caps		-	-	•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	•	•	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)
16" steel rims with hub caps	0	-	-	• (HEAVY)	• (HEAVY)	• (HEAVY)
Electric parking brake		•	•	P KEY LESS	P KEY LESS	P KEY LESS
AdBlue® tank (litres)		19	19	19	19	19
60-litre diesel tank		-	•	•	•	•
90-litre diesel tank		•	• (HEAVY 4,25 T)	• (HEAVY 4,25 T)	• (HEAVY 4,25 T)	• (HEAVY 4,25 T)
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), hiss start assist and ABS braking		•	•	•	•	•
Advanced Emergency Braking System		•	•	•	•	•
Lane Keeping System		•	•	•	•	•
Driver Drowsiness Detection		•	•	•	•	•
Intelligent Speed Assistance		•	•	•	•	•
Traffic Sign Recognition		•	•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	•	•	•	•	•
3PMSF all season tyres		•	•	•	•	•
Cruise control with speed limiter		•	•	•	•	•
Adaptive cruise control		P ADAPT	P ADAPT	P ADAPT	P ADAPT	P ADAPT
Adaptive cruise control with Stop&Go function and traffic jam assistance		P ASSIST	P ASSIST	P ASSIST	P ASSIST	P ASSIST
Reversing radar (not compatible with tow bar or bike rack)	1	•	•	•	•	•
Blind spot detector and rear cross traffic alert		P VISION +	P VISION +	P VISION +	P VISION +	P VISION +
TPMS (automatic tyre pressure monitoring system)		•	•	•	•	•
2nd remote key (PLIP)		•	•	•	•	•
Keyless start and lock/unlock		P KEY LESS	P KEY LESS	P KEY LESS	P KEY LESS	P KEY LESS
Daytime running lights		•	•	•	•	•
100% LED headlights		O	O	O	O	O
Automatic headlights and front windscreen wipers with rain sensor		P ADAPT	P ADAPT	P ADAPT	P ADAPT	P ADAPT
Electric de-frosting wing mirrors		•	•	•	•	•
Electric folding wing mirrors		P VISION +	P VISION +	P VISION +	P VISION +	P VISION +
Boosted rear axle air suspension without compressor	9	O	O	O	O	O
Reinforced rear axle suspension		-	•	•	•	•
Spare tyre (requires 60-litre diesel tank)		O	-	-	-	-
Puncture repair kit		•	•	•	•	•
CAB FITTINGS						
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2
Embroidered cab seat covers		•	•	•	•	•
TOUCH reading spotlight in cab		•	•	•	-	•
Cup holders		•	•	•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Comfort steering wheel and gear knob		•	•	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)
Radio controls on steering wheel		•	•	•	•	•
Grey aluminium finish on air vent		•	•	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)	P SMART / P ASSIST / • (P RHD)
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		-	-	•	•	•
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		•	•	-	-	-
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O	O	O
Reversing camera with control screen built into the dashboard		•	•	•	•	•
Pleated cab window and windscreen blinds		•	•	•	•	•
Awning (factory-installed)	40	•	•	-	-	-

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE C

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.






	C03	C50
VEHICLE DIMENSIONS (M)		
Overall length	6,19	6,59
Overall width (excluding wing mirrors)	2,17	2,17
Overall width with wing mirrors open	2,53	2,53
Overall height	2,79	2,79
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	5	5
Berths	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T	LIGHT: 3,5 T / 3,65 T HEAVY: 4,25 T*
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2885	2920
Payload (kg)	615	580
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	3,45	3,80
Rear track (m)	1,79	1,79
STORAGE AREA/GARAGE (CM, MAX.)		
Width	100	100
Length	202	202
Height	120	88/108
Access right side (H x W)	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 50
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)		
Rear bed	1300/1490 x 2020	1400 x 1900
Extra dinette bed	900/680 x 1880	900/680 x 1880
AUTONOMY (LITRES)		
Fresh water **[A]**	20/110	20/110
Waste water	90	90
Type of refrigerator	Compression	Compression
Refrigerator volume	140	140
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane

* HEAVY chassis: GVW = 4250 kg (140 hp / 160 hp automatic transmission) (option at additional cost)

** HEAVY chassis: GVW = 4400 kg (160 hp / 180 hp automatic transmission) (option at additional cost)

[A] Fresh water tank can be filled up to 110 L (120 L for the C66, C86), which results in a lower payload.

• = Standard, - = Not available



Upper beds



NEW



	C55	C66	C86
VEHICLE DIMENSIONS (M)			
Overall length	6,72	6,99	6,99
Overall width (excluding wing mirrors)	2,17	2,17	2,17
Overall width with wing mirrors open	2,53	2,53	2,53
Overall height	2,79	2,79	2,79
SEATS			
Seats with seatbelts	2+2	2+2	2+2
Registered (driving) seats	4	4	4
People dining space	5	4	4
Berths	2+1	2+1	2+1
WEIGHT			
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,25 T*	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T**	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T**
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2925	3005	2995
Payload (kg)	575	495	505
CHASSIS			
Chassis	FIAT DUCATO	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e	EURO 6e
Wheelbase (m)	3,80	4,035	4,035
Rear track (m)	1,79	1,79	1,79
STORAGE AREA/GARAGE (CM, MAX.)			
Width	100	100	100
Length	202	202	202
Height	120	120	88/108
Access right side (H x W)	100 x 75	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 75	100 x 75
Heated	Yes	Yes	Yes
HEATING			
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)			
Rear bed	800 x 1990 + 800 x 1850	800 x 1950 + 800 x 1920	1400 x 1960
King size bed extension	1370 x 1980	1370 x 1980	-
Extra dinette bed	1100/680 x 1880	740 x 1930	740 x 1930
AUTONOMY (LITRES)			
Fresh water **[A]**	20/110	20/120	20/120
Waste water	90	90	90
Type of refrigerator	Compression	Compression	Compression
Refrigerator volume	140	149	149
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane	1 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE C

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Upper beds

C**55**i

VEHICLE DIMENSIONS (M)	
Overall length	6,72
Overall width (excluding wing mirrors)	2,19
Overall width with wing mirrors open	2,59
Overall height	2,79
SEATS	
Seats with seatbelts	2+2
Registered (driving) seats	4
People dining space	5
Berths	2+2
Berths (with no cab bed option)	2
WEIGHT	
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T** HEAVY: 4,4 T*
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2960
Payload (kg)	540
CHASSIS	
Chassis	FIAT DUCATO
Standard engine	2,2 L - 140 hp
Anti-pollution standard	EURO 6e
Wheelbase (m)	3,80
Rear track (m)	1,79
STORAGE AREA/GARAGE (CM, MAX.)	
Width	100
Length	202
Height	120
Access right side (H x W)	100 x 75
Access left side (H x W)	100 x 75
Heated	Yes
HEATING	
Type of heating	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)	
Rear bed	800 x 1990 + 800 x 1850
King size bed extension	1370 x 1980
Overcab drop-down bed	1400 x 1850
AUTONOMY (LITRES)	
Fresh water **[A]**	20/110
Waste water	90
Type of refrigerator	Compression
Refrigerator volume	140
Gas bottle capacity	1 x 13 kg propane

* HEAVY chassis: GVW = 4400 kg (160 hp / 180 hp) (option at additional cost)

** RHD 180 hp engine only available with HEAVY chassis (4,4 T)

[A] Fresh water tank can be filled up to 110 L (120 L for the C66i, C86i), which results in a lower payload.

• = Standard, - = Not available

OPTIMUM Line



NEW

Upper beds

C**66**i

OPTIMUM Line



C**86**i

	C**66**i	C**86**i
VEHICLE DIMENSIONS (M)		
Overall length	6,99	6,99
Overall width (excluding wing mirrors)	2,19	2,19
Overall width with wing mirrors open	2,59	2,59
Overall height	2,79	2,79
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	4	4
Berths	2+2	2+2
Berths (with no cab bed option)	2	2
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T** HEAVY: 4,4 T*	LIGHT: 3,5 T / 3,65 T** HEAVY: 4,4 T*
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3040	3030
Payload (kg)	460	470
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Rear track (m)	1,79	1,79
STORAGE AREA/GARAGE (CM, MAX.)		
Width	100	100
Length	202	202
Height	120	88/108
Access right side (H x W)	100 x 75	100 x 75
Access left side (H x W)	100 x 75	100 x 75
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)		
Rear bed	800 x 1950 + 800 x 1920	1400 x 1960
King size bed extension	1370 x 1980	-
Overcab drop-down bed	1400 x 1850	1400 x 1850
AUTONOMY (LITRES)		
Fresh water **[A]**	20/120	20/120
Waste water	90	90
Type of refrigerator	Compression	Compression
Refrigerator volume	149	149
Gas bottle capacity	1 x 13 kg propane	1 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE C

EQUIPMENT AND COMFORT

LOW-PROFILE AND A-CLASS

	WEIGHT (KG)	C03	C50	C55	C66 OPTIMUM Line	C86 OPTIMUM Line	C55i	C66i OPTIMUM Line	C86i OPTIMUM Line
CONSTRUCTION									
NOVATECH Construction		•	•	•	•	•	•	•	•
Impact-resistant polyester panels and roof		•	•	•	•	•	•	•	•
Polyester underfloor external protection		•	•	•	•	•	•	•	•
Floor bodywork with polyurethane		•	•	•	•	•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•	•	•	•	•
BODYWORK AND OPENINGS									
White skirts, bumpers and bodywork		•	•	•	-	-	•	•	•
Iron Grey metallic cab bodywork paint		-	-	-	•	•	-	-	-
Front bumper in bodywork colour + black skid plate + fog lights		•	•	•	•	•	-	-	-
Living area door with 2-point locking and fixed window		•	•	•	•	•	-	-	-
Living area door with 2-point locking, fixed window and inbuilt bin		-	-	-	-	-	•	•	•
Living area door (width in mm) L: 540 mm / XL: 600 mm / XXL: 625 mm		• (540)	• (540)	• (540)	• (540)	• (540)	• (540)	• (540)	• (540)
Exterior decoration with OPTIMUM LINE logo		-	-	-	•	•	-	•	•
Living area door flyscreen		•	•	•	•	•	•	•	•
Electric entry step		•	•	•	•	•	•	•	•
Polyurethane-framed double-glazed living area windows with blind and flyscreen		•	•	•	•	•	•	•	•
SKYVIEW panoramic roof	20	•	•	•	•	•	-	-	-
Large lengthwise living room skylight		•	•	•	•	•	•	•	•
Cab bed skylight		-	-	-	-	-	•	•	•
External right side LED lighting		•	•	•	•	•	•	•	•
Aluminium side skirt line		•	•	•	•	•	•	•	•
Designer rear pillars with LED lights		•	•	•	•	•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•	•	•	•	•
HEATING									
TRUMA heating with CP PLUS control panel		•	•	•	•	•	•	•	•
TRUMA Combi 4 DIESEL		-	-	-	-	-	-	-	-
TRUMA Combi 6 EH DIESEL (diesel + electricity)		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Altitude fuel heating kit (only for diesel heating)		•	•	•	•	•	•	•	•
Floor heating in living area (230 V)		O	O	O	O	O	O	O	O
SKYVIEW heating duct (requires SKYVIEW)		•	•	•	•	•	-	-	-
Heated waste water tank		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
STORAGE									
Access to storage area/garage from left and right side		•	•	•	•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•	•	•	•
Height-adjustable storage area/garage		-	•	-	-	•	-	-	•
Storage area ceiling LED lighting rail		•	•	•	•	•	•	•	•
STYLE									
PALATINA (with solid maple wood) or AURORA furniture		•	•	•	•	•	•	•	•
ALICANTE fabric upholstery		•	•	•	-	-	•	-	-
TEP* upholstery: MILAN	5	O	O	O	O	O	O	O	O
TEP* upholstery: PALMA (PALATINA furniture)		O	O	O	-	-	O	-	-
TEP* upholstery: PALMA OPTIMUM LINE (PALATINA furniture)		-	-	-	•	•	-	•	•
TEP* upholstery: NOUMEA (AURORA furniture)		O	O	O	-	-	O	-	-
TEP* upholstery: NOUMEA OPTIMUM LINE (AURORA furniture)		-	-	-	•	•	-	•	•
Fabric upholstery: ALBA		O	O	O	O	O	O	O	O
Net curtains on living room window		• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)
Interior LED lighting		•	•	•	•	•	•	•	•
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED	LED	LED
LIVING ROOM									
Living room window finish		•	•	•	•	•	•	•	•
Telescopic table leg/Extra occasional berth		•	•	•	•	•	-	-	-
Folding laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)		•	•	•	•	•	•	•	•
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W430 - H550 - D70		•	•	•	•	•	•	•	•
Inbuilt TV unit with backlighting and storage		-	-	-	•	•	-	•	•
Spotlights under overhead cupboards		•	•	•	•	•	•	•	•
4 cushions to match the living room style		•	•	•	•	•	•	•	•
Day/night partition		-	•	•	•	•	•	•	•
Height-adjustable headrests		-	-	•	-	-	•	-	-
KITCHEN									
Worktop extension		•	•	•	-	-	•	-	-
LED lighting under the worktop		•	•	•	•	•	•	•	•
Kitchen window finish		•	•	•	•	•	•	•	•
Spice rack		•	•	•	•	•	•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•	•	•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•	•	•	•	•
Cutlery tray		•	•	•	•	•	•	•	•
Stainless steel sink with glossy black glass cover		•	•	•	•	•	•	•	•
Brass tap with ceramic cartridge		•	•	•	•	•	•	•	•
Stainless steel stovetop with 2 burners, black cover and piezo ignition		•	•	•	•	•	•	•	•
23-litre oven with grill	22	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
BATHROOM									
Washroom storage unit with two mirror doors and frosted pattern		-	-	-	•	•	-	•	•
Upper storage unit with mirror		•	•	•	-	-	•	-	-
Central XXL bathroom with double partition		-	-	-	•	•	-	•	•
Independent shower		-	-	-	•	•	-	•	•
Shower in the washroom		•	•	•	-	-	•	-	-
Magnetic shower door latches with matte black edge		•	•	•	•	•	•	•	•
Shower column with slate grey Plexiglas finish		•	•	•	-	-	•	-	-
Shower column with charcoal grey laminate finish		-	-	-	•	•	-	•	•
DUO'SPACE: swivelling partition to separate the shower from the washroom		•	•	•	-	-	•	-	-
Clothes drying rack		•	•	•	•	•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•	•	•	•	•	•
Laminate basin countertop with aluminium-style finish		-	-	-	•	•	-	•	•
Shower duckboard		•	•	•	•	•	•	•	•
Towel rail		•	•	•	•	•	•	•	•
Cup holder and cup		•	•	•	•	•	•	•	•
Toilet with removable cassette tank, telescopic handle and castors		•	•	•	•	•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•	•	•	•	•
BEDROOM									
Permanent bed with aluminium base frame and active multilayer slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	•	•	•
Electrically-assisted height-adjustable (≈ 20 cm) permanent low bed	15	-	•	-	-	•	-	-	•
Wall-mounted wardrobes		-	•	-	-	•	-	-	•
Wardrobe at the foot of the bed		-	-	•	•	-	•	•	-
Side storage alcoves with outlet		-	•	•	•	•	•	•	•
Fabric-covered headboard		•	•	•	•	•	•	•	•
Adjustable reclining headboard on permanent bed		-	•	-	-	•	-	-	•
Retractable central bed base	5	-	•	-	-	•	-	-	•

* TEP: Polyamide-coated fabric.
** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
[A] Possible reduction in registered seats.
• = Standard, O = Option,- = Not available

LOW-PROFILE AND A-CLASS

	WEIGHT (KG)	C03	C50	C55	C66	C86	C55I	C66I	C86I
BEDROOM									
Adjustable footboard for easier storage access		•	•	•	•	•	•	•	•
Mattress topper with memory foam on permanent bed	6	O	O	O	O	O	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•	•	•	•
Mattress protection kit		O	O	O	O	O	O	O	O
POWER & COMFORT									
95 Ah AGM living area battery (with coupler, separator and booster)	3	•	•	•	-	-	•	-	-
Second living-area battery 95 Ah AGM	27	•	•	•	-	-	•	-	-
150 Ah LITHIUM living-area battery (with coupler, separator and booster)		P ENERGY	P ENERGY	P ENERGY	•	•	P ENERGY	•	•
Second 150 Ah LITHIUM living-area battery (total capacity = 300 Ah, requires a primary LITHIUM living-area battery)		O	O	O	O	O	O	O	O
2,000W inverter with battery shut-off	5	-	-	-	•	•	-	•	•
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•	•	•	•	•
Control panel		•	•	•	•	•	•	•	•
Speakers in the living area		•	•	•	•	•	•	•	•
Symphony audio system		O	O	O	O	O	O	O	O
Centralised fuse box with protected 'accessories' outlets		•	•	•	•	•	•	•	•
External 230 V charging socket		•	•	•	•	•	•	•	•
Internal 230 V socket		5	5	5	5	5	5	5	5
Internal 12 V socket		4	4	4	4	4	4	4	4
Internal 5 V USB port		6	6	4	4	6	4	4	6
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O	O	O	O	O	O
Solar panel wiring setup		•	•	•	-	-	•	-	-
150W solar panel (factory-installed)	9	P ENERGY	P ENERGY	P ENERGY	•	•	P ENERGY	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•	•	•	•	•
Outside shower with hot/cold water	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
VEHICLE FITTINGS**									
FIAT 140 hp manual transmission, 3.5 T - LD		•	•	•	-	-	•	-	-
FIAT 140 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	O	O	O	•	•	O	•	•
FIAT 140 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	O / - (RHD)	O / - (RHD)	-	-	-	-	-
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp automatic transmission 3.5 T)	0	-	-	-	O	O	-	O	O
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp manual transmission 3.5 T)	5	O	O	O	-	-	O	-	-
FIAT 160 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	O	O	-	-	-	-	-
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp automatic transmission 3.5 T)	40	-	-	-	O	O	-	O	O
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	-	-	-	-	O	-	-
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp automatic transmission 3.5 T)	0	-	-	-	O	O	-	O / - (RHD)	O / - (RHD)
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	-	O	O	-	-	O / - (RHD)	-	-
FIAT 180 hp automatic transmission, 4.4 T - HD (vs 140 hp automatic transmission 3.5 T)	40	-	-	-	O	O	-	-	-
FIAT 180 hp automatic transmission, 4.4 T - LD (vs 140 hp automatic transmission 3.5 T)	40	-	-	-	-	-	-	- / O (RHD)	- / O (RHD)
FIAT 180 hp automatic transmission, 4.4 T - LD (vs 140 hp manual transmission 3.5 T)	45	-	-	-	-	-	- / O (RHD)	-	-
LIGHT chassis: possibility of 3.65T GVW		•	•	•	•	•	•	•	•
15" steel rims with hub caps		•	•	•	-	-	•	-	-
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	•	•	P SMART / • (P RHD)	•	•
Electric parking brake		P KEYLESS / • (P RHD)	P KEYLESS / • (P RHD)	P KEYLESS / • (P RHD)	•	•	O / • (P RHD)	•	•
AdBlue® tank (litres)		19	19	19	19	19	19	19	19
90-litre diesel tank		•	•	•	•	•	•	•	•
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), hiss start assist and ABS braking		•	•	•	•	•	•	•	•
Advanced Emergency Braking System		•	•	•	•	•	•	•	•
Lane Keeping System		•	•	•	•	•	•	•	•
Driver Drowsiness Detection		•	•	•	•	•	•	•	•
Intelligent Speed Assistance		•	•	•	•	•	•	•	•
Traffic Sign Recognition		•	•	•	•	•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	•	•	•	•	•	•	•	•
3PMSF all season tyres		•	•	•	•	•	•	•	•
Cruise control with speed limiter		•	•	•	•	•	•	•	•
Adaptive cruise control		P ADAPT	P ADAPT	P ADAPT	P ADAPT	P ADAPT	-	-	-
TPMS (automatic tyre pressure monitoring system)		•	•	•	•	•	•	•	•
2nd remote key (PLIP)		•	•	•	•	•	•	•	•
Keyless start and lock/unlock		P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)	-	-	-
Daytime running lights		•	•	•	•	•	-	-	-
LED daytime running lights		-	-	-	-	-	•	•	•
100% LED headlights		O	O	O	O	O	-	-	-
100% LED headlights (includes front fog lights)		-	-	-	-	-	O	O	O
Front fog lights	1	-	-	-	-	-	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Automatic headlights and front windscreen wipers with rain sensor		P ADAPT	P ADAPT	P ADAPT	P ADAPT	P ADAPT	-	-	-
Electric de-frosting wing mirrors		•	•	•	•	•	•	•	•
Coach-style wing mirrors		-	-	-	-	-	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•	•	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Electric folding wing mirrors		O	O	O	O	O	-	-	-
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Tow bar **[A]**: 2,000 kg max. subject to GCW (option of ± 5 kg)		O 56	O 56	O 56	O 56	O 56	O 56	O 56	O 56
Puncture repair kit		•	•	•	•	•	•	•	•
CAB FITTINGS									
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•	•	•	•	•
Cab seats with built-in seatbelts		-	-	-	-	-	•	•	•
Cab seats in fabric matching the living area		•	•	•	•	•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•	•	-	-	-
Cup holders		•	•	•	•	•	•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•	•	•	•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Jack-assisted foldaway cab bed with slat base and foam mattress		-	-	-	-	-	•	•	•
Central locking on cab bed		-	-	-	-	-	•	•	•
Comfort steering wheel and gear knob		P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	•	•	P SMART / • (P RHD)	•	•
Radio controls on steering wheel		•	•	•	•	•	P SMART / • (P RHD)	•	•
Grey aluminium finish on air vent		P SMART / • (P RHD)	P SMART / • (P RHD)	P SMART / • (P RHD)	•	•	P SMART / • (P RHD)	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		•	•	•	-	-	•	-	-
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		-	-	-	•	•	-	•	•
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O	O	O	-	O	O
Reversing camera with control screen built into the dashboard		•	•	•	•	•	•	•	•
Pleated cab window and windscreen blinds		•	•	•	•	•	-	-	-
Sliding insulated windscreen blind: up / down (sunshade)		-	-	-	-	-	•	•	•
Awning (factory-installed)	40	-	-	-	•	•	-	•	•
Extreme cold exterior insulation	5	-	-	-	-	-	O	O	O
Without cab bed, with fixed-leg living room table		-	-	-	-	-	O	O	O

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 6F

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



606F

OPTIMUM Line



Height-adjustable beds

ALDE as option

666F

	606F	666F
VEHICLE DIMENSIONS (M)		
Overall length	6,69	7,49
Overall width (excluding wing mirrors)	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height	2,94	2,94
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	6	5
Berths	2+2	2+1
Berths (with drop-down bed option)	-	2+2
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,25 T**	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T*
Permissible Gross Combined Weight (GCW) **[A]**	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	2980	3065
Payload (kg)	520	435
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	3,80	4,035
Rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM, MAX.)		
Width	85	114
Length	217	217
Height	120	98/118
Access right side (H x W)	100 x 60	105 x 87
Access left side (H x W)	100 x 60	105 x 87
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi DIESEL 4 CP PLUS / ALDE as option
BED SIZE (MM)		
Rear bed	-	2 x (820 x 2000)
King size bed extension	-	1370 x 2060
Extra dinette bed (without drop-down bed)	-	980/870 x 2080
Extra dinette bed (with drop-down bed)	1150 x 2080	-
Drop-down bed	1500/1300 x 1950	O 1300/1150 x 1950
AUTONOMY (LITRES)		
Fresh water **[B]**	20/120	20/120
Waste water	90	90
Type of refrigerator	Compression	Compression
Refrigerator volume	174	174
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

* HEAVY chassis: GVW = 4400 kg (160 hp / 180 hp) (option at additional cost)

** HEAVY chassis: GVW = 4250 kg (140 hp / 160 hp automatic transmission) (option at additional cost)

[A] GVW 3500/3650 kg ➜ GCW 5500 kg

[B] Fresh water tank can be filled up to 120 L, which results in a lower payload.

• = Standard, O = Option, - = Not available



OPTIMUM Line



	686F	**696**F
VEHICLE DIMENSIONS (M)		
Overall length	7,20	7,49
Overall width (excluding wing mirrors)	2,35	2,35
Overall width with wing mirrors open	2,76	2,76
Overall height	2,94	2,94
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4	4
People dining space	4	5
Berths	2+1	2+1
Berths (with drop-down bed option)	2+2	2+2
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T*	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T*
Permissible Gross Combined Weight (GCW) **[A]**	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3035	3055
Payload (kg)	465	445
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM, MAX.)		
Width	114	114
Length	217	217
Height	88/108	88/108
Access right side (H x W)	100 x 87	100 x 87
Access left side (H x W)	100 x 87	100 x 87
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 4 DIESEL CP PLUS	TRUMA Combi 4 DIESEL CP PLUS
BED SIZE (MM)		
Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (without drop-down bed)	800/740 x 2080	980/870 x 2080
Drop-down bed	O 1300/1150 x 1950	O 1300/1150 x 1950
AUTONOMY (LITRES)		
Fresh water **[B]**	20/120	20/120
Waste water	90	90
Type of refrigerator	Compression	Compression
Refrigerator volume	150	174
Gas bottle capacity	1 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 6F

EQUIPMENT AND COMFORT

LOW-PROFILE

	WEIGHT (KG)	606F	666F OPTIMUM LINE	686F	696F OPTIMUM LINE
CONSTRUCTION					
NOVATECH Construction		•	•	•	•
Impact-resistant polyester panels and roof		•	•	•	•
Polyester underfloor external protection		•	•	•	•
Floor bodywork with polyurethane		•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•
BODYWORK AND OPENINGS					
White skirts, bumpers and bodywork		•	-	•	-
Iron Grey metallic cab bodywork paint		-	•	-	•
Front bumper in bodywork colour + black skid plate + fog lights		•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•	•
Living area door (width in mm) L: 540 mm / XL: 600 mm / XXL: 625 mm		• (600)	• (600)	• (540)	• (600)
Exterior decoration with OPTIMUM LINE logo		-	•	-	•
Living area door flyscreen		•	•	•	•
Insulated fixed single step		•	•	•	•
Polyurethane-framed double-glazed living area windows with blind and flyscreen		•	•	•	•
SKYVIEW panoramic roof with electric de-icing	20	•	•	•	•
Large lengthwise living room skylight		•	•	•	•
External right side LED lighting		•	•	•	•
Aluminium side skirt line		•	•	•	•
Designer rear pillars with LED lights		•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•
HEATING					
TRUMA heating with CP PLUS control panel		•	•	•	•
TRUMA Combi 4 DIESEL		-	-	-	-
TRUMA Combi 6 EH DIESEL (diesel + electricity)		O / • (P RHD)	O / • (P RHD) /- (ALDE)	O / • (P RHD)	O / • (P RHD)
Altitude fuel heating kit (only for diesel heating)		•	•	•	•
ALDE Comfort Plus Arctic central heating with Frost Control + bedroom temperature control	65	-	O	-	-
Floor heating in living area (230 V)		O	O	O	O
ALDE heated carpet in cab (requires ALDE heating)	6	-	O /- (RHD)	-	-
Heated waste water tank		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
STORAGE					
XXL wardrobe		•	-	-	-
Access to storage area/garage from left and right side		•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•
Height-adjustable storage area/garage		-	-	•	•
Storage area ceiling LED lighting rail		•	•	•	•
STYLE					
PALATINA (with solid maple wood) or AURORA furniture		•	•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•	•
ALICANTE fabric upholstery		•	-	•	-
TEP* upholstery: MILAN	5	O	O	O	O
TEP* upholstery: PALMA (PALATINA furniture)		•	-	•	-
TEP* upholstery: PALMA OPTIMUM LINE (PALATINA furniture)		-	•	-	•
TEP* upholstery: NOUMEA (AURORA furniture)		•	-	•	-
TEP* upholstery: NOUMEA OPTIMUM LINE (AURORA furniture)		-	•	-	•
Fabric upholstery: ALBA		O	O	O	O
Net curtains on living room window		• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)
Interior LED lighting		•	•	•	•
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED
LIVING ROOM					
Living room window finish		•	•	•	•
Telescopic table leg/Extra occasional berth (no drop-down bed)		-	•	•	•
Electric telescopic table leg/Extra occasional berth (with drop-down bed)		•	-	-	-
Folding laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)		•	•	•	•
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W805 - H500 - D70		•	•	•	•
Inbuilt TV unit with backlighting and storage		•	•	•	•
Spotlights under overhead cupboards		•	•	•	•
4 cushions to match the living room style		•	•	•	•
Day/night partition		-	•	•	•
Electrically adjustable, switchable drop-down bed with slat base and BULTEX® foam mattress	45	• 2 berth	-	-	-
Electrically adjustable, switchable drop-down bed with slat base and foam mattress	45	-	O 2 berth	O 2 berth	O 2 berth
KITCHEN					
LED lighting under the worktop		•	•	•	•
Kitchen window finish		•	•	•	•
Spice rack		•	•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•
Cutlery tray		•	•	•	•
Stainless steel sink with glossy black glass cover		•	•	•	•
Brass tap with ceramic cartridge		•	•	•	•
Stainless steel stovetop with 2 burners, black cover and piezo ignition		•	-	-	-
Stainless steel stovetop with 2 burners, independent black covers and piezo ignition		-	•	•	•
22-litre oven with grill	15	O / • (P RHD)	-	-	-
23-litre oven with grill	22	-	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
BATHROOM					
Washroom storage unit with two mirror doors and frosted pattern		-	•	•	•
Central XXL bathroom with double partition		-	•	•	•
Independent shower		•	•	•	•
Magnetic shower door latches with matte black edge		-	•	-	•
Shower column with slate grey Plexiglas finish		•	-	•	-
Shower column with charcoal grey laminate finish		-	•	-	•
Clothes drying rack		•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•	•
Laminate basin countertop with aluminium-style finish		•	•	•	•
Shower duckboard		-	•	-	•
Towel rail		•	•	•	•
Cup holder and cup		•	•	•	•
Toilet with removable cassette tank, telescopic handle and castors		•	•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•
BEDROOM					
Permanent bed with aluminium base frame and active multilayer slats, with highly durable BULTEX® foam mattress		-	-	•	•
Electrically-assisted height-adjustable (≈ 20 cm) permanent low bed	15	-	•	•	•
Wall-mounted wardrobes		-	-	•	•
Storage built into the bed footboard		-	-	•	•

* TEP: Polyamide-coated fabric.
[A] Possible reduction in registered seats.
• = Standard, O = Option,- = Not available

LOW-PROFILE

	WEIGHT (KG)	606F	666F OPTIMUM Line	686F	696F OPTIMUM Line
BEDROOM					
Wardrobe at the foot of the bed		-	•	-	-
Side storage alcoves with outlet		-	•	•	•
Fabric-covered headboard		-	•	•	•
Adjustable reclining headboard on permanent bed		-	-	•	•
Retractable central bed base	5	-	-	•	•
Adjustable footboard for easier storage access		-	•	•	•
Mattress topper with memory foam on permanent bed	6	-	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		-	•	•	•
Mattress protection kit		-	O	O	O
POWER & COMFORT					
95 Ah AGM living area battery (with coupler, separator and booster)	3	•	-	•	-
Second living-area battery 95 Ah AGM	27	•	-	•	-
150 Ah LITHIUM living-area battery (with coupler, separator and booster)		P ENERGY	•	P ENERGY	•
Second 150 Ah LITHIUM living-area battery (total capacity = 300 Ah, requires a primary LITHIUM living-area battery)		O	O	O	O
2,000W inverter with battery shut-off	5	-	•	-	•
'Coming home' mode with automatic awning light		•	•	•	•
Control panel		•	•	•	•
Speakers in the living area		•	•	•	•
Symphony audio system		O	O	O	O
Centralised fuse box with protected 'accessories' outlets		•	•	•	•
External 230 V charging socket		•	•	•	•
Internal 230 V socket		4	5	5	5
Internal 12 V socket		2	4	4	4
Internal 5 V USB port		6	4	6	6
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O	O
Solar panel wiring setup		•	-	•	-
150W solar panel (factory-installed)	9	P ENERGY	•	P ENERGY	•
Centralised water distribution (access to all fittings)		•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•
Outside shower with hot/cold water	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
VEHICLE FITTINGS**					
FIAT 140 hp manual transmission, 3.5 T - LD		•	-	•	-
FIAT 140 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	O	•	O	•
FIAT 140 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	O / - (RHD)	-	-	-
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp automatic transmission 3.5 T)	0	-	O	-	O
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp manual transmission 3.5 T)	5	O	-	O	-
FIAT 160 hp automatic transmission, 4.25 T - HD (vs 140 hp manual transmission 3.5 T)	45	O	-	-	-
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp automatic transmission 3.5 T)	40	-	O	-	O
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp manual transmission 3.5 T)	45	-	-	O	-
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp automatic transmission 3.5 T)	0	-	O	-	O
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	O	-	O	-
FIAT 180 hp automatic transmission, 4.4 T - LD (vs 140 hp automatic transmission 3.5 T)	40	-	O	-	O
FIAT 180 hp automatic transmission, 4.4 T - LD (vs 140 hp manual transmission 3.5 T)	45	-	-	O	-
LIGHT chassis: possibility of 3.65T GVW		•	•	•	•
15" steel rims with hub caps		•	-	•	-
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / • (P RHD)	•	P SMART / • (P RHD)	•
Electric parking brake		P KEYLESS	•	P KEYLESS	•
AdBlue® tank (litres)		19	19	19	19
60-litre diesel tank		•	•	•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)	• (HEAVY)
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), hiss start assist and ABS braking		•	•	•	•
Advanced Emergency Braking System		•	•	•	•
Lane Keeping System		•	•	•	•
Driver Drowsiness Detection		•	•	•	•
Intelligent Speed Assistance		•	•	•	•
Traffic Sign Recognition		•	•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	•	•	•	•
3PMSF all season tyres		•	•	•	•
Cruise control with speed limiter		•	•	•	•
Adaptive cruise control		P ADAPT	P ADAPT	P ADAPT	P ADAPT
TPMS (automatic tyre pressure monitoring system)		•	•	•	•
2nd remote key (PLIP)		•	•	•	•
Keyless start and lock/unlock		P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)	P KEY LESS / • (P RHD)
Daytime running lights		•	•	•	•
100% LED headlights		O	O	O	O
Automatic headlights and front windscreen wipers with rain sensor		P ADAPT	P ADAPT	P ADAPT	P ADAPT
Electric de-frosting wing mirrors		•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Tow bar **[A]**: 2,000 kg max. subject to GCW (option of ± 5 kg)		O 56	O 61	O 62	O 61
Puncture repair kit		•	•	•	•
CAB FITTINGS					
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•
TOUCH reading spotlight in cab		•	•	•	•
Cup holders		•	•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE	P LOUNGE
Comfort steering wheel and gear knob		P SMART / • (P RHD)	•	P SMART / • (P RHD)	•
Radio controls on steering wheel		•	•	•	•
Grey aluminium finish on air vent		P SMART / • (P RHD)	•	P SMART / • (P RHD)	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		•	-	•	-
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		-	•	-	•
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O	O
Reversing camera with control screen built into the dashboard		•	•	•	•
Pleated cab window and windscreen blinds		•	•	•	•

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
All data (weight / measures) are indicated with a tolerance of 5%.
Chassis: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 8F

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



850F

VEHICLE DIMENSIONS (M)	
Overall length	6,99
Overall width (excluding wing mirrors)	2,35
Overall width with wing mirrors open	2,74
Overall height	2,94
SEATS	
Seats with seatbelts	2+2
Registered (driving) seats	4
People dining space	5
Berths	2+2
Berths (with no cab bed option)	2+1
WEIGHT	
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T***
Permissible Gross Combined Weight (GCW) **[A]**	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3080
Payload (kg)	420
CHASSIS	
Chassis	FIAT DUCATO
Standard engine	2,2 L - 140 hp
Anti-pollution standard	EURO 6e
Wheelbase (m)	4,035
Rear track (m)	1,98
STORAGE AREA/GARAGE (CM, MAX.)	
Width	114
Length	217
Height	84/114
Access right side (H x W)	110 x 87
Access left side (H x W)	70 x 87
Heated	Yes
HEATING	
Type of heating	TRUMA Combi 6 DIESEL INET X
BED SIZE (MM)	
Rear bed	1500 x 1940
Extra dinette bed (with no cab bed option)	900 x 1750
Overcab drop-down bed	1450 x 1900
AUTONOMY (LITRES)	
Fresh water **[B]**	20/120
Waste water	120
Type of refrigerator	Compression
Refrigerator volume	150
Gas bottle capacity	2 x 13 kg propane

* GVW 3500 kg = 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650 / 4400 kg = 4 registered seats

** GVW 3500 kg = 4 registered seats with 140 hp manual gearbox, or without towing capability / 3 registered seats with towing capability ; GVW 3650 / 4400 kg = 4 registered seats

*** HEAVY chassis: GVW = 4400 kg (160 hp / 180 hp) (option at additional cost)

[A] GVW 3500 kg ➜ GCW 5500 kg ; 3650 kg ➜ 5650 kg ; 4400 kg ➜ 6000 kg

[B] Fresh water tank can be filled up to 120 L, which results in a lower payload.

• = Standard, - = Not available

OPTIMUM Line



Upper beds

866F

OPTIMUM Line



896F

VEHICLE DIMENSIONS (M)		
Overall length	7,49	7,49
Overall width (excluding wing mirrors)	2,35	2,35
Overall width with wing mirrors open	2,74	2,74
Overall height	2,94	2,94
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4*	4**
People dining space	5	5
Berths	2+2	2+2
Berths (with no cab bed option)	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T***	LIGHT: 3,5 T / 3,65 T HEAVY: 4,4 T***
Permissible Gross Combined Weight (GCW) **[A]**	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3155	3140
Payload (kg)	345	360
CHASSIS		
Chassis	FIAT DUCATO	FIAT DUCATO
Standard engine	2,2 L - 140 hp	2,2 L - 140 hp
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,035
Rear track (m)	1,98	1,98
STORAGE AREA/GARAGE (CM, MAX.)		
Width	114	114
Length	217	217
Height	126	84/114
Access right side (H x W)	110 x 87	110 x 87
Access left side (H x W)	85 x 87	70 x 87
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 6 DIESEL INET X	TRUMA Combi 6 DIESEL INET X
BED SIZE (MM)		
Rear bed	2 x (850 x 2050)	1600 x 1960
King size bed extension	1370 x 2060	-
Extra dinette bed (with no cab bed option)	1100/980 x 2085	1100/980 x 2085
Overcab drop-down bed	1450 x 1900	1450 x 1900
AUTONOMY (LITRES)		
Fresh water **[B]**	20/120	20/120
Waste water	120	120
Type of refrigerator	Compression	Compression
Refrigerator volume	174	174
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 8F

EQUIPMENT AND COMFORT

A-CLASS

	WEIGHT (KG)	850F	866F OPTIMUM Line	896F OPTIMUM Line
CONSTRUCTION				
NOVATECH Construction		•	•	•
Impact-resistant polyester panels and roof		•	•	•
Polyester underfloor external protection		•	•	•
Floor bodywork with polyurethane		•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•
BODYWORK AND OPENINGS				
White skirts, bumpers and bodywork		•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•
Living area door (width in mm) L: 540 mm / XL: 600 mm / XXL: 625 mm		• (540)	• (600)	• (600)
Exterior decoration with OPTIMUM LINE logo		-	•	•
Living area door flyscreen		•	•	•
Insulated fixed single step		•	•	•
Electric entry step		•	•	•
Polyurethane-framed double-glazed living area windows with blind and flyscreen		•	•	•
Large lengthwise living room skylight		•	•	•
Cab bed skylight		•	•	•
External right side LED lighting		•	•	•
Designer rear pillars with LED lights		•	•	•
Back panel set-up with inserts for bike rack		•	•	•
HEATING				
TRUMA heating with INET X control panel		•	•	•
TRUMA Combi 6 DIESEL		-	-	-
TRUMA Combi 6 EH DIESEL (diesel + electricity)		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Altitude fuel heating kit (only for diesel heating)		•	•	•
Floor heating in living area (230 V)		O	O	O
Heated waste water tank		O / • (P RHD)	•	•
STORAGE				
Internal underfloor storage boxes (volume in litres)		70	70	70
Sliding external storage drawer (volume = 45 litres; max. load = 25 kg)	18	O	O	O
Access to storage area/garage from left and right side		•	•	•
Height-adjustable storage area/garage		•	-	•
Storage area ceiling LED lighting rail		•	•	•
STYLE				
PALATINA (with solid maple wood) or AURORA furniture		•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•
ALICANTE fabric upholstery		•	-	-
TEP* upholstery: MILAN	5	O	O	O
TEP* upholstery: PALMA (PALATINA furniture)		O	-	-
TEP* upholstery: PALMA OPTIMUM LINE (PALATINA furniture)		-	•	•
TEP* upholstery: NOUMEA (AURORA furniture)		O	-	-
TEP* upholstery: NOUMEA OPTIMUM LINE (AURORA furniture)		-	•	•
Fabric upholstery: ALBA		O	O	O
Net curtains on living room window		• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)
Interior LED lighting		•	•	•
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED
LIVING ROOM				
Living room window finish		•	•	•
Folding laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)		•	•	•
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W430 - H550 - D70		•	-	-
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W805 - H500 - D70		-	•	•
Inbuilt TV unit with backlighting and storage		-	•	•
Spotlights under overhead cupboards		•	•	•
4 cushions to match the living room style		•	•	•
Day/night partition		•	•	•
Height-adjustable headrests		•	-	-
KITCHEN				
LED lighting under the worktop		•	•	•
Kitchen window finish		•	•	•
Spice rack		•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•
Cutlery tray		•	•	•
Stainless steel sink with glossy black glass cover		•	•	•
Brass tap with ceramic cartridge		•	•	•
Stainless steel stovetop with 2 burners, independent black covers and piezo ignition		•	•	•
23-litre oven with grill	22	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
BATHROOM				
Washroom storage unit with two mirror doors and frosted pattern		-	•	•
Upper storage unit with mirror		•	-	-
Central XXL bathroom with double partition		-	•	•
Independent shower		-	•	•
Shower in the washroom		•	-	-
Magnetic shower door latches with matte black edge		•	•	•
Shower column with slate grey Plexiglas finish		•	-	-
Shower column with charcoal grey laminate finish		-	•	•
DUO'SPACE: swivelling partition to separate the shower from the washroom		•	-	-
Clothes drying rack		•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•
Laminate basin countertop with aluminium-style finish		-	•	•
Shower duckboard		•	-	-
Towel rail		•	•	•
Cup holder and cup		•	•	•
Toilet with removable cassette tank, telescopic handle and castors		•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•
BEDROOM				
Permanent bed with aluminium base frame and active multilayer slats, with highly durable BULTEX® foam mattress		•	•	•
Electrically-assisted height-adjustable (≈ 30 cm) permanent low bed	15	•	-	•
Wall-mounted wardrobes		•	-	•
Storage built into the bed footboard		•	•	•
Wardrobe at the foot of the bed		-	•	-
Side storage alcoves with outlet		•	•	•
Fabric-covered headboard		•	•	•
Adjustable reclining headboard on permanent bed		•	-	•
Retractable central bed base	5	•	-	•

* TEP: Polyamide-coated fabric.
[A] Possible reduction in registered seats.
• = Standard, O = Option,- = Not available

A-CLASS

	WEIGHT (KG)	850F	866F OPTIMUM Line	896F OPTIMUM Line
BEDROOM				
Adjustable footboard for easier storage access		•	•	•
Mattress topper with memory foam on permanent bed	6	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•
Mattress protection kit		O	O	O
POWER & COMFORT				
95 Ah AGM living area battery (with coupler, separator and booster)	3	•	-	-
Second living-area battery 95 Ah AGM	27	•	-	-
150 Ah LITHIUM living-area battery (with coupler, separator and booster)		P ENERGY	•	•
Second 150 Ah LITHIUM living-area battery (total capacity = 300 Ah, requires a primary LITHIUM living-area battery)		O	O	O
2,000W inverter with battery shut-off	5	-	•	•
'Coming-home' mode with automatic awning light and electric entry step		•	•	•
Control panel		•	•	•
Speakers in the living area		•	•	•
Symphony audio system		O	O	O
Centralised fuse box with protected 'accessories' outlets		•	•	•
External 230 V charging socket		•	•	•
Internal 230 V socket		5	5	5
Internal 12 V socket		4	4	4
Internal 5 V USB port		6	4	6
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O
Solar panel wiring setup		•	-	-
150W solar panel (factory-installed)	9	P ENERGY	•	•
Centralised water distribution (access to all fittings)		•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•
Outside shower with hot/cold water	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
VEHICLE FITTINGS**				
FIAT 140 hp manual transmission, 3.5 T - LD		•	-	-
FIAT 140 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	O	•	•
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp automatic transmission 3.5 T)	0	-	O	O
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp manual transmission 3.5 T)	5	O	-	-
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp automatic transmission 3.5 T)	40	-	O	O
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp manual transmission 3.5 T)	45	O	-	-
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp automatic transmission 3.5 T)	0	-	O	O
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp manual transmission 3.5 T)	5	O	-	-
FIAT 180 hp automatic transmission, 4.4 T - LD (vs 140 hp automatic transmission 3.5 T)	40	-	O	O
FIAT 180 hp automatic transmission, 4.4 T - LD (vs 140 hp manual transmission 3.5 T)	45	O	-	-
LIGHT chassis: possibility of 3.65T GVW		•	•	•
15" steel rims with hub caps		•	•	-
16" light alloy rims (+4.5 cm vehicle height)	12	P SMART / • (P RHD)	•	•
Electric parking brake		O / • (P RHD)	•	•
AdBlue® tank (litres)		19	19	19
60-litre diesel tank		•	•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), hiss start assist and ABS braking		•	•	•
Advanced Emergency Braking System		•	•	•
Lane Keeping System		•	•	•
Driver Drowsiness Detection		•	•	•
Intelligent Speed Assistance		•	•	•
Traffic Sign Recognition		•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	•	•	•
3PMSF all season tyres		•	•	•
Cruise control with speed limiter		•	•	•
TPMS (automatic tyre pressure monitoring system)		•	•	•
2nd remote key (PLIP)		•	•	•
LED daytime running lights		•	•	•
100% LED headlights (includes front fog lights)		O	O	O
Front fog lights	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Electric de-frosting wing mirrors		•	•	•
Coach-style wing mirrors		•	•	•
Dual-view wing mirrors (fixed wide angle lens)		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Composite leaf spring		•	•	•
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Tow bar **[A]**: 2,000 kg max. subject to GCW (option of ± 5 kg)		O 65	O 60	O 61
Puncture repair kit		•	•	•
CAB FITTINGS				
Driver's door with 2-point locking		•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•
Cab seats with built-in seatbelts		•	•	•
Cab seats in fabric matching the living area		•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•
Cup holders		•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•
Central locking on cab bed		•	•	•
Comfort steering wheel and gear knob		P SMART / • (P RHD)	•	•
Radio controls on steering wheel		P SMART / • (P RHD)	•	•
Grey aluminium finish on air vent		P SMART / • (P RHD)	•	•
DAB PIONEER® multimedia system with 6.8" screen and APPLE CARPLAY/ANDROID AUTO functions		•	-	-
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		-	•	•
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O
Reversing camera with control screen built into the dashboard		•	•	•
Sliding insulated windscreen blind: up / down (sunshade)		•	•	•
Extreme cold exterior insulation	5	O	O	O
Double-glazed side windows in cab (except driver's door)	10	O	O	O
Without cab bed, with telescopic living room table leg for berth configuration		O	O	O

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
All data (weight / measures) are indicated with a tolerance of 5%.
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 80dF

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Upper beds

ALDE as option

8066dF

VEHICLE DIMENSIONS (M)	
Overall length	7,49
Overall width (excluding wing mirrors)	2,35
Overall width with wing mirrors open	2,74
Overall height	2,94
SEATS	
Seats with seatbelts	2+2
Registered (driving) seats	4*
People dining space	5
Berths	2+2
Berths (with no cab bed option)	2+1
WEIGHT	
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,7 T HEAVY: 4,5 T**
Permissible Gross Combined Weight (GCW) **[A]**	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3140
Payload (kg)	360
CHASSIS	
Chassis	FIAT AL-KO
Standard engine	2,2 L - 140 hp***
Anti-pollution standard	EURO 6e
Wheelbase (m)	4,300
Rear track (m)	1,98
STORAGE DOUBLE FLOOR (CM)	
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72
Heated	Yes
STORAGE AREA/GARAGE (CM, MAX.)	
Width	114
Length	217
Height	119
Access right side (H x W)	112 x 89
Access left side (H x W)	112 x 89
Heated	Yes
HEATING	
Type of heating	TRUMA Combi 6 INET X / ALDE as option
BED SIZE (MM)	
Rear bed	2 x (850 x 2050)
King size bed extension	1370 x 2060
Extra dinette bed (with no cab bed option)	1100/900 x 2085
Overcab drop-down bed	1450 x 1900
AUTONOMY (LITRES)	
Fresh water **[B]**	20/130
Waste water	110
Type of refrigerator	• Absorption O Compression
Refrigerator volume	• 156 O 174
Gas bottle capacity	2 x 13 kg propane

* GVW 3500 kg = 4 registered seats without towing capability / 3 registered seats with towing capability ; GVW 3650 / 4400 kg = 4 registered seats

** HEAVY chassis: GVW = 4400 kg (160 hp / 180 hp) (option at additional cost)

*** RHD: only with 180 hp automatic (option at additional cost)

[A] GVW 3500/3650 kg ➜ GCW 5500 kg ; 4400 kg ➜ 6000 kg

[B] Fresh water tank can be filled up to 130 L, which results in a lower payload.

• = Standard, O = Option



8086dF



ALDE as option

8096dF

VEHICLE DIMENSIONS (M)		
Overall length	7,20	7,49
Overall width (excluding wing mirrors)	2,35	2,35
Overall width with wing mirrors open	2,74	2,74
Overall height	2,94	2,94
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	4*	4*
People dining space	4	5
Berths	2+2	2+2
Berths (with no cab bed option)	2+1	2+1
WEIGHT		
Gross vehicle weight (GVW)	LIGHT: 3,5 T / 3,7 T HEAVY: 4,5 T**	LIGHT: 3,5 T / 3,7 T HEAVY: 4,5 T**
Permissible Gross Combined Weight (GCW) **[A]**	LIGHT: 5,5 T HEAVY: 6 T	LIGHT: 5,5 T HEAVY: 6 T
Mass in Running Order (MIRO) (kg)	3100	3140
Payload (kg)	400	360
CHASSIS		
Chassis	FIAT AL-KO	FIAT AL-KO
Standard engine	2,2 L - 140 hp***	2,2 L - 140 hp***
Anti-pollution standard	EURO 6e	EURO 6e
Wheelbase (m)	4,035	4,300
Rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(17,5 - 20) x (53 - 83) x 210	(17,5 - 20) x (53 - 83) x 210
Access right side (H x W)	23 x 47 + 23 x 37	23 x 47 + 23 x 62
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM, MAX.)		
Width	114	114
Length	217	217
Height	89/119	89/119
Access right side (H x W)	117 x 89	117 x 89
Access left side (H x W)	112 x 89	112 x 89
Heated	Yes	Yes
HEATING		
Type of heating	TRUMA Combi 6 INET X	TRUMA Combi 6 INET X / ALDE as option
BED SIZE (MM)		
Rear bed	1500 x 1940	1600 x 1960
Extra dinette bed (with no cab bed option)	900/840 x 2085	1100/900 x 2085
Overcab drop-down bed	1450 x 1900	1450 x 1900
AUTONOMY (LITRES)		
Fresh water **[B]**	20/130	20/130
Waste water	110	110
Type of refrigerator	• Absorption O Compression	• Absorption O Compression
Refrigerator volume	• 135 O 150	• 156 O 174
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE 80dF

EQUIPMENT AND COMFORT

A-CLASS

	WEIGHT (KG)	8066dF	8086dF	8096dF
CONSTRUCTION				
NOVATECH Construction		•	•	•
Impact-resistant polyester panels and roof		•	•	•
Polyester underfloor external protection		•	•	•
Floor bodywork with polyurethane		•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•
Storage area in robust polyurethane		•	•	•
BODYWORK AND OPENINGS				
White skirts, bumpers and bodywork		•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•
Living area door (width in mm) L: 540 mm / XL: 600 mm / XXL: 625 mm		• (600)	• (540)	• (600)
Living area door flyscreen		•	•	•
Insulated fixed single step		•	•	•
Electric entry step		•	•	•
Storage area hatch struts		•	•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•	•
Polyurethane-framed double-glazed living area windows with blind and flyscreen		•	•	•
Large lengthwise living room skylight		•	•	•
Cab bed skylight		•	•	•
External right side LED lighting		•	•	•
Designer rear pillars with LED lights		•	•	•
Back panel set-up with inserts for bike rack		•	•	•
HEATING				
TRUMA heating with INET X control panel		•	•	•
TRUMA Combi 6 (Gas)		-	-	-
TRUMA Combi 6 EH (gas + electricity)		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
ALDE Comfort Plus Arctic central heating with Frost Control + bedroom temperature control	65	O	-	O
Heating distributed via the living room table leg (except telescopic leg) (only with ALDE)		•	-	•
ALDE hot-water floor heating in living area (only available with ALDE heating)	8	O	-	O
ALDE heated carpet in cab (requires ALDE heating)	6	O / - (RHD)	-	O / - (RHD)
TRUMA windscreen heating duct		•	•	•
Heated waste water tank		•	•	•
STORAGE				
Transverse storage double floor with internal and external access		•	•	•
Heated, lit double floor		•	•	•
Access to storage area/garage from left and right side		•	•	•
Storage area/garage with left and right lowered floor		•	•	•
Height-adjustable storage area/garage		-	•	•
Storage area ceiling LED lighting rail		•	•	•
STYLE				
PALATINA (with solid maple wood) or AURORA furniture		•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•
TEP* upholstery: MILAN	5	O	O	O
Leather upholstery: AUSTIN	8	O	O	O
Leather upholstery: BRAGA	8	O	O	O
TEP* upholstery: PALMA (PALATINA furniture)		•	•	•
TEP* upholstery: NOUMEA (AURORA furniture)		•	•	•
Fabric upholstery: BUDAPEST	5	O	O	O
Fabric upholstery: ALBA		O	O	O
Net curtains on living room window		• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)	• (PALATINA) /- (AURORA)
Interior LED lighting		•	•	•
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED
Living room and bedroom indirect lighting dimmer		•	•	•
LIVING ROOM				
Living room window finish		•	•	•
Folding laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)		•	•	•
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W520 - H340 - D80		-	•	-
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W805 - H500 - D70		•	-	•
Inbuilt TV unit with backlighting and storage		•	•	•
Spotlights under overhead cupboards		•	•	•
4 cushions to match the living room style		•	•	•
Day/night partition		•	•	•
KITCHEN				
LED lighting under the worktop		•	•	•
Kitchen window finish		•	•	•
Spice rack		•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•
Cutlery tray		•	•	•
Stainless steel sink with glossy black glass cover		•	•	•
Brass tap with ceramic cartridge and hand shower		•	•	•
Stainless steel stovetop with 2 burners, independent black covers and piezo ignition		•	•	•
Extra-deep refrigerator		•	-	•
Compressor refrigerator		O	O	O
Refrigerator grill covers (for winter use)		•	•	•
23-litre oven with grill	22	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
BATHROOM				
Washroom storage unit with two sliding doors with mirror and frosted RAPIDO logo		•	•	•
Central XXL bathroom with double partition		•	•	•
Independent shower		•	•	•
Magnetic shower door latches with matte black edge		•	•	•
Shower column with charcoal grey laminate finish		•	•	•
Blue LED mood lighting on shower column		•	•	•
Clothes drying rack		•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•
Laminate basin countertop with aluminium-style finish		•	•	•
Shower duckboard		•	•	•
Towel rail		•	•	•
Cup holder and cup		•	•	•
Toilet with removable cassette tank, telescopic handle and castors		•	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•
BEDROOM				
Permanent bed with aluminium base frame and active multilayer slats, with highly durable BULTEX® foam mattress		•	•	•
Electrically-assisted height-adjustable (≈ 30 cm) permanent low bed	15	-	•	•
Backlit wall-mounted wardrobes		-	•	•
Storage built into the bed footboard		-	•	•
Wardrobe at the foot of the bed		•	-	-
Side storage alcoves with outlet		•	•	•

* TEP: Polyamide-coated fabric.
[A] Possible reduction in registered seats.
• = Standard, O = Option,- = Not available

A-CLASS

	WEIGHT (KG)	8066dF	8086dF	8096dF
BEDROOM				
Fabric-covered backlit headboard		•	•	•
Adjustable reclining headboard on permanent bed		-	•	•
Retractable central bed base	5	-	•	•
Adjustable footboard for easier storage access		•	•	•
Lighting inside the wardrobe		-	LED	LED
Mattress topper with memory foam on permanent bed	6	O	O	O
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•
Mattress protection kit		O	O	O
POWER & COMFORT				
150 Ah LITHIUM living-area battery (with coupler, separator and booster)		•	•	•
Second 150 Ah LITHIUM living-area battery (total capacity = 300 Ah)		O	O	O
'Coming-home' mode with automatic awning light and electric entry step		•	•	•
Living area entry step backlighting when door opens		•	•	•
Control panel		•	•	•
Speakers in the living area		•	•	•
Symphony audio system		O	O	O
NOVABOX: easy access to service area		•	•	•
Centralised fuse box with protected 'accessories' outlets		•	•	•
External 230 V charging socket		•	•	•
Internal 230 V socket		6	6	6
Internal 12 V socket		4	4	4
Internal 5 V USB port		6	6	6
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Lino protector kit	2	O	O	O
Automatic inverter, for driving with gas heating on (anti-crash system)		•	•	•
Solar panel wiring setup		•	•	•
150W solar panel (factory-installed)	9	O	O	O
Centralised water distribution (access to all fittings)		•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•
Outside shower with hot/cold water	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
VEHICLE FITTINGS**				
FIAT 140 hp automatic transmission, 3.5 T - LD		•	•	•
FIAT 160 hp automatic transmission, 3.5 T - HD (vs 140 hp automatic transmission 3.5 T)	0	O	O	O
FIAT 160 hp automatic transmission, 4.4 T - HD (vs 140 hp automatic transmission 3.5 T)	40	O	O	O
FIAT 180 hp automatic transmission, 3.5 T - LD (vs 140 hp automatic transmission 3.5 T)	0	O	O	O
FIAT 180 hp automatic transmission, 4.5 T - HD (vs 140 hp automatic transmission 3.5 T)	40	O	O	O
LIGHT chassis: possibility of 3.65T GVW		•	•	•
16" light alloy rims (+4.5 cm vehicle height)	12	•	•	•
AdBlue® tank (litres)		19	19	19
60-litre diesel tank		•	•	•
90-litre diesel tank		• (HEAVY)	• (HEAVY)	• (HEAVY)
Electronic Stability Control (ESC) with Anti Slip Regulation (ASR), Roll Over Mitigation (ROM), hiss start assist and ABS braking		•	•	•
Advanced Emergency Braking System		•	•	•
Lane Keeping System		•	•	•
Driver Drowsiness Detection		•	•	•
Intelligent Speed Assistance		•	•	•
Traffic Sign Recognition		•	•	•
Traction+ with Hill Descent Control (helps control speed downhill)	2	•	•	•
3PMSF all season tyres		•	•	•
Cruise control with speed limiter		•	•	•
TPMS (automatic tyre pressure monitoring system)		•	•	•
2nd remote key (PLIP)		•	•	•
LED daytime running lights		•	•	•
100% LED headlights (includes front fog lights)		O	O	O
Front fog lights	1	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Electric de-frosting wing mirrors		•	•	•
Coach-style wing mirrors		•	•	•
Dual-view wing mirrors (fixed wide angle lens)		O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Reinforced front axle suspension		• (HEAVY)	• (HEAVY)	• (HEAVY)
ACS front axle suspension (not compatible with Air Premium x4 suspension)	3	O	O	O
Independent rear wheel suspension		•	•	•
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)
Stabilising jacks specific for HEAVY models	5	•	•	•
Tow bar **[A]**: 2,000 kg max. subject to GCW (option of ± 5 kg)		O 57	O 57	O 57
Puncture repair kit		•	•	•
CAB FITTINGS				
Driver's door with 2-point locking		•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•
Cab seats with built-in seatbelts		•	•	•
Cab seats in fabric matching the living area		•	•	•
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•
Cup holders		•	•	•
100% digital dashboard		P LOUNGE	P LOUNGE	P LOUNGE
Manual cab air conditioning		•	•	•
Automatic cab air-conditioning	1	P LOUNGE	P LOUNGE	P LOUNGE
Induction smartphone charger		P LOUNGE	P LOUNGE	P LOUNGE
Jack-assisted foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•
Central locking on cab bed		•	•	•
Comfort steering wheel and gear knob		•	•	•
Radio controls on steering wheel		•	•	•
Grey aluminium finish on air vent		•	•	•
DAB PIONEER® multimedia system with 9" screen and APPLE CARPLAY/ANDROID AUTO functions		•	•	•
DAB PIONEER® multimedia GPS system with large 9" touchscreen and APPLE CARPLAY/ANDROID AUTO functions	2	O	O	O
Reversing camera with control screen built into the dashboard		•	•	•
Sliding insulated windscreen blind: up/down (sunshade) and down/up (privacy screen)		•	•	•
Extreme cold exterior insulation	5	O	O	O
Double-glazed side windows in cab (except driver's door)	10	O	O	O
Without cab bed, with telescopic living room table leg for berth configuration		O	O	O

** RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
All data (weight / measures) are indicated with a tolerance of 5%.
Chassis FIAT: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE DISTINCTION

TECHNICAL DATA

REMEMBER

When purchasing a RAPIDO, the unladen weight includes the weight of the vehicle's standard equipment. The unladen weight of motorhomes is determined in compliance with the laws currently in force and includes the vehicle in working order, the driver (75 kg), the gas bottle, fresh water (20 L) and fuel tanks up to 90 % of their capacity with a tolerance of +/-5 %. All of our vehicles are certified in accordance with Regulation 1230/2012.

It is therefore the responsibility of the user to adjust the load and the number of passengers on board according to the permissible GVW, the payload and the weight of any additional equipment he installed or has had installed in the vehicle.



Upper beds

i66M TRUMA



Upper beds

ALDE as standard

i66M ALDE



i96M TRUMA



ALDE as standard

i96M ALDE

VEHICLE DIMENSIONS (M)				
Overall length	7,54	7,54	7,54	7,54
Overall width (excluding wing mirrors)	2,35	2,35	2,35	2,35
Overall width with wing mirrors open	2,74	2,74	2,74	2,74
Overall height	2,95	2,95	2,95	2,95
SEATS				
Seats with seatbelts	2+2	2+2	2+2	2+2
Registered (driving) seats	3*	4	3*	4
People dining space	5	5	5	5
Berths	2+2	2+2	2+2	2+2
Berths (with no cab bed option)	2	2	2	2
WEIGHT				
Gross vehicle weight (GVW)	LIGHT: TRUMA 3,5 T / 3,88 T HEAVY: 4,5 T	HEAVY: 4,5 T	LIGHT: TRUMA 3,5 T / 3,88 T HEAVY: 4,5 T	HEAVY: 4,5 T
Permissible Gross Combined Weight (GCW)	LIGHT: 5,5 T HEAVY: 5,88 T	HEAVY: 5,88 T	LIGHT: 5,5 T HEAVY: 5,88 T	HEAVY: 5,88 T
Mass in Running Order (MIRO) (kg)	3245	3360	3230	3350
Payload (kg)	255	1140	270	1150
CHASSIS				
Chassis	MERCEDES AL-KO	MERCEDES AL-KO	MERCEDES AL-KO	MERCEDES AL-KO
AL-KO-type chassis	AMC	AMC	AMC	AMC
Standard engine	2,0 L - 170 hp	2,0 L - 170 hp	2,0 L - 170 hp	2,0 L - 170 hp
Anti-pollution standard	Euro VI E	Euro VI E	Euro VI E	Euro VI E
Wheelbase (m)	4,205	4,205	4,205	4,205
Rear track (m)	1,98	1,98	1,98	1,98
STORAGE DOUBLE FLOOR (CM)				
Internal dimensions of main storage	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210	(17,5 - 20) x (58 - 83) x 210
Access right side (H x W)	2 x (23 x 47)	2 x (23 x 47)	2 x (23 x 47)	2 x (23 x 47)
Access left side (H x W)	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72	NOVABOX + 23 x 72
Heated	Yes	Yes	Yes	Yes
STORAGE AREA/GARAGE (CM, MAX.)				
Width	114	114	114	114
Length	217	217	217	217
Height	119	119	89/119	89/119
Access right side (H x W)	112 x 89	112 x 89	112 x 89	112 x 89
Access left side (H x W)	112 x 89	112 x 89	117 x 89	117 x 89
Heated	Yes	Yes	Yes	Yes
HEATING				
Type of heating	TRUMA Combi 6 CP PLUS	ALDE 3030+	TRUMA Combi 6 CP PLUS	ALDE 3030+
BED SIZE (MM)				
Rear bed	2 x (850 x 2000)	2 x (850 x 2000)	1600 x 1960	1600 x 1960
King size bed extension	1370 x 2060	1370 x 2060	-	-
Electric drop-down cab bed	1500 x 1910	1500 x 1910	1500 x 1910	1500 x 1910
AUTONOMY (LITRES)				
Fresh water **[A]**	20/130	20/130	20/130	20/130
Waste water	110	110	110	110
Type of refrigerator	Absorption	Absorption	Absorption	Absorption
Refrigerator volume	171	171	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane	2 x 13 kg propane

* GVW 3500 kg = 3 registered seats without towing capability / 2 registered seats with towing capability ; GVW 3880 / 4500 kg = 4 registered seats

[A] The tank can be filled to a capacity of 130 L. This increased capacity reduces the payload.

[B] The tank can be filled to a capacity of 250 L. This increased capacity reduces the payload.

• = Standard, - = Not available

A-CLASS MODELS WITH MERCEDES AL-KO CHASSIS, EXTRA-WIDE REAR TRACK AND STORAGE DOUBLE FLOOR



Upper beds

ALDE as standard

i166M



ALDE as standard

i196M

VEHICLE DIMENSIONS (M)		
Overall length	8,15	8,15
Overall width (excluding wing mirrors)	2,35	2,35
Overall width with wing mirrors open	2,74	2,74
Overall height	2,99	2,99
SEATS		
Seats with seatbelts	2+2	2+2
Registered (driving) seats	2+2	2+2
People dining space	6	6
Berths	2+2	2+2
Berths (with no cab bed option)	2	2
WEIGHT		
Gross vehicle weight (GVW)	HEAVY: 4,5 T	HEAVY: 4,5 T
Permissible Gross Combined Weight (GCW)	HEAVY: 5,88 T	HEAVY: 5,88 T
Mass in Running Order (MIRO) (kg)	3740	3700
Payload (kg)	760	800
CHASSIS		
Chassis	MERCEDES AL-KO	MERCEDES AL-KO
AL-KO-type chassis	VSC	VSC
Standard engine	2,0 L - 170 hp	2,0 L - 170 hp
Anti-pollution standard	Euro VI E	Euro VI E
Wheelbase (m)	4,705	4,705
Rear track (m)	1,98	1,98
STORAGE DOUBLE FLOOR (CM)		
Internal dimensions of main storage	(26,5 - 29) x 83 x 210	(26,5 - 29) x 83 x 210
Access right side (H x W)	23 x 72 + 40 x 57	23 x 72 + 40 x 57
Access left side (H x W)	ENERGYBOX + WATERBOX + 23 x 72	ENERGYBOX + WATERBOX + 23 x 72
Heated	Yes	Yes
STORAGE AREA/GARAGE (CM, MAX.)		
Width	114	114
Length	217	217
Height	121	89/119
Access right side (H x W)	117 x 89	117 x 89
Access left side (H x W)	117 x 89	117 x 89
Heated	Yes	Yes
Storage area with protective lining and stowage hooks	•	•
HEATING		
Type of heating	ALDE 3030+	ALDE 3030+
BED SIZE (MM)		
Rear bed	2 x (850 x 2030)	1600 x 1980
King size bed extension with electric step	1450 x 2060	-
Electric drop-down cab bed	1500 x 1910	1500 x 1910
AUTONOMY (LITRES)		
Fresh water **[B]**	20/250	20/250
Waste water	150	150
Type of refrigerator	Absorption	Absorption
Refrigerator volume	171	171
Gas bottle capacity	2 x 13 kg propane	2 x 13 kg propane

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis MERCEDES: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE DISTINCTION

EQUIPMENT AND COMFORT

A-CLASS

	WEIGHT (KG)	i66M TRUMA	i66M ALDE	i96M TRUMA	i96M ALDE	i166M	i196M
CONSTRUCTION							
NOVATECH Construction		•	•	•	•	•	•
Impact-resistant polyester panels and roof		•	•	•	•	•	•
Polyester roof covering all edges		•	•	•	•	•	•
Polyester underfloor external protection		•	•	•	•	•	•
Bodywork (roof, panels and floor) in 100% polyurethane		•	•	•	•	•	•
Styrofoam® insulation (roof, walls and floor)		•	•	•	•	•	•
Storage area in robust polyurethane		•	•	•	•	-	-
BODYWORK AND OPENINGS							
White skirts, bumpers and bodywork		•	•	•	•	•	•
Living area door with 2-point locking, fixed window and inbuilt bin		•	•	•	•	•	•
Living area door (width in mm) L: 540 mm / XL: 600 mm / XXL: 625 mm		• (600)	• (600)	• (600)	• (600)	• (625)	• (625)
Living area door flyscreen		•	•	•	•	•	•
Insulated fixed single step		•	•	•	•	•	•
Electric entry step		•	•	•	•	•	•
Storage area hatch struts		•	•	•	•	•	•
Storage area compression handles flush with hatch, with 2-point locking		•	•	•	•	•	•
Polyurethane-framed double-glazed living area windows with blind and flyscreen		•	•	•	•	•	•
Large lengthwise living room skylight		•	•	•	•	-	-
XXL lengthwise living room skylight		-	-	-	-	•	•
Cab bed skylight		•	•	•	•	•	•
External right side LED lighting		•	•	•	•	•	•
Aluminium side skirt line		-	-	-	-	•	•
Designer rear pillars with LED lights		•	•	•	•	•	•
Back panel set-up with inserts for bike rack		•	•	•	•	•	•
HEATING							
TRUMA heating with INET X control panel		•	-	•	-	-	-
TRUMA CombiNeo 6 EH (gas + electricity)		•	-	•	-	-	-
ALDE 3030+ Comfort Plus Arctic central heating with Frost Control + bedroom temperature control with continuous hot water supply		-	•	-	•	•	•
Heating distributed via the living room table leg (except telescopic leg) (only with ALDE)		-	•	-	•	•	•
Additional MERCEDES heating		-	•	-	•	•	•
ALDE hot-water floor heating in living area (only available with ALDE heating)	8	-	O	-	O	O	O
ALDE heated carpet in cab (requires ALDE heating)	6	-	O / - (RHD)	-	O / - (RHD)	O / - (RHD)	O / - (RHD)
TRUMA windscreen heating duct		•	-	•	-	-	-
Heated waste water tank		•	•	•	•	•	•
External heating inspection hatch (drain access, maintenance)		•	•	•	•	•	•
TRUMA 2500W living area air conditioning (factory-installed)	45	-	-	-	-	O	O
STORAGE							
Transverse storage double floor with internal and external access		•	•	•	•	•	•
Heated, lit double floor		•	•	•	•	•	•
Access to storage area/garage from left and right side		•	•	•	•	•	•
Storage area/garage with left and right lowered floor		•	•	•	•	•	•
Height-adjustable storage area/garage		-	-	•	•	-	•
Storage area ceiling LED lighting rail		•	•	•	•	•	•
Heated shoe storage hatch above living area step		•	•	•	•	•	•
STYLE							
PALATINA (with solid maple wood) or AURORA furniture		•	•	•	•	•	•
Living room furniture with LED back-lit cubby (storage compartments)		•	•	•	•	•	•
Soft touch ceiling fabric		•	•	•	•	•	•
Fabric finish on cab bed bottom and inbuilt spotlights with 'Coming Home' mode		•	•	•	•	•	•
Leather upholstery: AUSTIN	8	O	O	O	O	O	O
Leather upholstery: BRAGA	8	O	O	O	O	O	O
TEP* upholstery: PALMA (PALATINA furniture)		•	•	•	•	•	•
TEP* upholstery: NOUMEA (AURORA furniture)		•	•	•	•	•	•
Fabric upholstery: BUDAPEST	5	O	O	O	O	O	O
Fabric upholstery: ALBA		O	O	O	O	O	O
Eyelet net curtains on rods with indirect lighting		•	•	•	•	•	•
Interior LED lighting		•	•	•	•	•	•
Ambient lighting in the living room/kitchen/bedroom		LED	LED	LED	LED	LED	LED
Living room and bedroom indirect lighting dimmer		•	•	•	•	•	•
Centralised controls for multi-zone lighting with dimmer		•	•	•	•	•	•
LIVING ROOM							
Folding laminated table with solid wood moulding (PALATINA) or veneer edges (AURORA)		•	•	•	•	•	•
TV space with mount, 12 V/coaxial/HDMI wiring for maximum TV size (mm): W805 - H500 - D70		•	•	•	•	•	•
Inbuilt TV unit with backlighting and storage		•	•	•	•	•	•
Spotlights base under overhead cupboards with inbuilt USB port		•	•	•	•	•	•
4 cushions to match the living room style + 1 blanket		•	•	•	•	•	•
Day/night partition		•	•	•	•	•	•
Vertical storage drawer for jackets and shoes		-	-	-	-	•	•
KITCHEN							
LED lighting under the worktop		•	•	•	•	•	•
Backlit kitchen window finish with inbuilt storage		•	•	•	•	•	•
Spice rack		•	•	•	•	•	•
Kitchen unit drawers with white fronts (glossy for PALATINA and matte for AURORA)		•	•	•	•	•	•
Self-closing drawers with automatic electric central locking when engine starts		•	•	•	•	•	•

* TEP: Polyamide-coated fabric.
** Operates on 230 V only.
• = Standard, O = Option, - = Not available

A-CLASS

	WEIGHT (KG)	i66M TRUMA	i66M ALDE	i96M TRUMA	i96M ALDE	i166M	i196M
KITCHEN							
Sliding wire basket and tea towel rail		–	–	–	–	•	•
Coffee machine space		–	–	–	–	•	•
Cutlery tray		•	•	•	•	•	•
Stainless steel sink		•	•	•	•	•	•
Brass tap with ceramic cartridge and hand shower		•	•	•	•	•	•
Stainless steel stovetop with 2 burners, independent black covers and piezo ignition		•	•	•	•	O	O
Stovetop with 2 burners with piezo ignition and 1 x 1,400 W** induction ring		–	–	–	–	•	•
Extra-deep refrigerator		•	•	•	•	•	•
Refrigerator with freezer		•	•	•	•	•	•
Refrigerator with double hinge door (left or right opening)		•	•	•	•	•	•
Refrigerator grill covers (for winter use)		•	•	•	•	•	•
Inbuilt extractor hood with LED lighting		•	•	•	•	•	•
TEC-Tower: refrigerator/25-litre oven with grill combo	21	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	•	•
BATHROOM							
Washroom storage unit with two sliding doors with mirror and frosted RAPIDO logo		•	•	•	•	•	•
Central XXL bathroom with double partition		•	•	•	•	•	•
Independent shower		•	•	•	•	•	•
Magnetic shower door latches with matte black edge		•	•	•	•	•	•
Shower column with charcoal grey laminate finish		•	•	•	•	•	•
Blue LED mood lighting on shower column		•	•	•	•	•	•
Water-saving shower head		•	•	•	•	•	•
Clothes drying rack		•	•	•	•	•	•
White basin with swivel brass mixer tap and ceramic cartridge		•	•	•	•	•	•
Shower duckboard		•	•	•	•	•	•
Towel rail		•	•	•	•	•	•
Cup holder and cup		•	•	•	•	•	•
Toilet with removable cassette tank, telescopic handle and castors		•	•	•	•	–	–
Ceramic toilet bowl with removable cassette tank, telescopic handle and castors		–	–	–	–	•	•
Quick-clean thermoformed toilet cassette compartment		•	•	•	•	•	•
BEDROOM							
Permanent bed with aluminium base frame and active multilayer slats, with highly durable BULTEX® foam mattress		•	•	•	•	•	•
Electrically-assisted height-adjustable (≈ 30 cm) permanent low bed	15	–	–	•	•	–	•
Backlit wall-mounted wardrobes		–	–	•	•	–	•
Bed footboard storage drawer		–	–	•	•	–	•
Wardrobe at the foot of the bed		•	•	–	–	–	–
Electrically-adjustable shelf and wardrobe at the foot of the bed		–	–	–	–	•	–
Side storage alcoves with outlet		–	–	•	•	–	•
Fabric-covered backlit headboard		•	•	•	•	•	•
Adjustable reclining headboard on permanent bed		•	•	•	•	–	–
Electrically-adjustable reclining headboard on permanent bed		–	–	–	–	•	•
Retractable central bed base	5	–	–	•	•	–	•
Adjustable footboard for easier storage access		•	•	–	–	•	–
Lighting inside the wardrobe		–	–	LED	LED	–	LED
Mattress topper with memory foam on permanent bed	6	O	O	O	O	•	•
Second TV space in bedroom with 12V/coaxial/HDMI wiring		•	•	•	•	•	•
Mattress protection kit		O	O	O	O	O	O
POWER & COMFORT							
150 Ah LITHIUM living-area battery (with coupler, separator and booster)		•	•	•	•	•	•
Second 150 Ah LITHIUM living-area battery (total capacity = 300 Ah)		O	O	O	O	O	O
2,000W inverter with battery shut-off	5	O	O	O	O	•	•
'Coming-home' mode with automatic awning light and electric entry step		•	•	•	•	•	•
Living area entry step backlighting when door opens		•	•	•	•	•	•
Digital control panel		•	•	•	•	•	•
Speakers in the living area		•	•	•	•	•	•
Symphony audio system		O	O	O	O	•	•
NOVABOX: easy access to service area		•	•	•	•	–	–
WATERBOX/ENERGY BOX: easy, centralised access to the water pipes and electrical system		–	–	–	–	•	•
Centralised fuse box with protected 'accessories' outlets		•	•	•	•	•	•
External 230 V charging socket		•	•	•	•	•	•
Internal 230 V socket		5	5	5	5	6	6
Internal 12 V socket		4	4	4	4	4	4
Internal 5 V USB port		4	4	4	4	4	4
Living area carpet	12	–	–	–	–	O / • (P RHD)	O / • (P RHD)
Living area and cab carpet	11	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	O / • (P RHD)	–	–
Cab carpet	2	–	–	–	–	•	•
Lino protector kit	2	O	O	O	O	O	O
Automatic FAVEX inverter with remote switch for driving with gas heating on (anti-crash system)		•	•	•	•	•	•
Waste water drainage with electric valve control in the storage space/garage		•	•	•	•	•	•
Fresh water drainage with electric valve control in the storage space/garage		–	–	–	–	•	•
Solar panel wiring setup		•	•	•	•	–	–
150W solar panel (factory-installed)	9	O	O	O	O	•	•
Centralised water distribution (access to all fittings)		•	•	•	•	•	•
Expansion tank in fresh water system for constant pressure		•	•	•	•	•	•
Outside shower with hot/cold water	1	•	•	•	•	•	•

All data (weight / measures) are indicated with a tolerance of 5%.
Chassis MERCEDES: definition of the carriers different from the original commercial definitions of the chassis manufacturers.
Unladen weight: the figures in the catalogue are based on the standard specification for each model, including the engine, gearbox and standard equipment.
Any accessories installed optionally or by the distributor are not included in the definition of the vehicle's unladen weight. The weight of these elements must therefore be deducted from the vehicle's payload.

SERIE DISTINCTION

EQUIPMENT AND COMFORT

A-CLASS

	WEIGHT (KG)	i66M TRUMA	i66M ALDE	i96M TRUMA	i96M ALDE	i166M	i196M
VEHICLE FITTINGS*							
MERCEDES 170 hp engine with automatic transmission	0	•	•	•	•	•	•
LIGHT chassis: GVW 3.5 T, possibility of 3.88 T		•	-	•	-	-	-
HEAVY chassis: GVW 4.5 T (includes 93-litre tank)	40	O	•	O	•	•	•
16" light alloy MERCEDES rims	2	•	•	•	•	•	•
Electric parking brake		•	•	•	•	•	•
MERCEDES battery shut-off		•	•	•	•	•	•
AdBlue® tank (litres)		22	22	22	22	22	22
65-litre diesel tank (vehicles ≤ 3.88 T)		•	-	•	-	-	-
93-litre diesel tank (4.5 T vehicles)		• (HEAVY)	•	• (HEAVY)	•	•	•
ABS (anti-lock brake system), ASR (anti-slip regulation), EBV (electronic braking variator) and ESP (electronic stability programme)		•	•	•	•	•	•
MERCEDES engine compartment insulation and cladding under engine		•	•	•	•	•	•
Hill start assistance		•	•	•	•	•	•
DISTRONIC active distance assist		P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)
TEMPOMAT cruise control with limiter		•	•	•	•	•	•
TPMS (automatic tyre pressure monitoring system)		•	•	•	•	•	•
2nd remote key (PLIP)		•	•	•	•	•	•
LED daytime running lights		•	•	•	•	•	•
100% LED headlights (includes front fog lights)		P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	•	•
100% LED rear lights		•	•	•	•	•	•
LED front fog lights	1	•	•	•	•	•	•
Automatic headlights		•	•	•	•	•	•
Electric de-frosting wing mirrors		•	•	•	•	•	•
Coach-style wing mirrors		•	•	•	•	•	•
Dual-view wing mirrors (fixed wide angle lens)		•	•	•	•	•	•
Reinforced front axle suspension		•	•	•	•	•	•
Independent rear wheel suspension		•	•	•	•	•	•
AL-KO AMC rear suspension		•	•	•	•	-	-
AL-KO VSC rear suspension		-	-	-	-	•	•
Stabilising jacks (at the back or in the wheelbase)	5	O / • (P RHD)	•	O / • (P RHD)	•	•	•
Stabilising jacks specific for HEAVY models	5	- / • (4,5 T)	•	- / • (4,5 T)	•	•	•
AL-KO Comfort Drive suspension (LIGHT chassis)	10	O	-	O	-	-	-
AL-KO Comfort Drive suspension (HEAVY chassis)	10	O (4,5 T)	O	O (4,5 T)	O	O	O
Stability system in the event of cross winds		•	•	•	•	•	•
Tow bar **[A]**: 2,000 kg max. subject to GCW (option of ± 5 kg)		O 53	O 53	O 53	O 53	O 53	O 53
Puncture repair kit		•	•	•	•	•	•
CAB FITTINGS							
Driver's door with 2-point locking		•	•	•	•	•	•
Height-adjustable swivel cab seats with 2 adjustable armrests		•	•	•	•	•	•
Cab seats with built-in seatbelts		•	•	•	•	•	•
Cab seats in fabric matching the living area		•	•	•	•	•	•
AGUTI GIS Liner 3 swivel cab seats in fabric matching the living area		-	-	-	-	•	•
AGUTI GIS Liner 3 swivel cab seats in fabric matching the living area, with heating and ventilation modes		-	-	-	-	O	O
3-point retractable safety belts (cab and living space)		2+2	2+2	2+2	2+2	2+2	2+2
Embroidered cab headrest covers (embossed for leather upholstery)		•	•	•	•	•	•
Cup holders		•	•	•	•	•	•
Fold-down lids on central and side coin trays		•	•	•	•	•	•
MERCEDES MBUX 10.25" multimedia system with DAB technology		•	•	•	•	•	•
Semi-automatic TEMPMATIC cab air conditioning		•	•	•	•	•	•
Automatic THERMOTRONIC cab air-conditioning (includes front windscreen wipers with rain sensor)	2	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)
Electric foldaway cab bed with slat base and BULTEX® foam mattress		•	•	•	•	•	•
Navigation + road sign recognition system		P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)	P DRIVE ASSIST / • (P RHD)
Leather steering wheel		•	•	•	•	•	•
Radio controls on steering wheel		•	•	•	•	•	•
Height- and angle-adjustable multi-function steering wheel		•	•	•	•	•	•
Integration Pack for smartphones (APPLE CARPLAY and ANDROID AUTO)		•	•	•	•	•	•
Reversing camera with control screen built into the dashboard		•	•	•	•	•	•
Heated windscreen		•	•	•	•	•	•
Electric sliding insulated windscreen blind: up/down (sunshade) and down/up (privacy screen)		•	•	•	•	•	•
Extreme cold exterior insulation	5	O	O	O	O	O	O
Double-glazed side windows in cab (except driver's door)	10	-	O	-	O	O	O
Without cab bed, with telescopic living room table leg for berth configuration		O	O	O	O	O	O

* RHD: restrictions may apply regarding availability of chassis (engine, gearbox, GVW). Please refer to you dealer.
[A] Possible reduction in registered seats.
• = Standard, O = Option, - = Not available

PACKS (OPTION)

RIGHT HAND DRIVE *Special pack*



The 2027 collection of the RAPIDO motorhomes based on RHD chassis comes with complete equipment, including (depending on the model)*:

SAFETY
DRIVE ASSIST PACK (DISTINCTION)
Fog lights
Electric parking brake (Compact A-CLASS, 8F-Series)
KEYLESS PACK (Compact LOW PROFILE, 6F-Series)
Outside rear mirrors with double view (wide angle) (A-CLASS)

COMFORT
SMART PACK
Carpet kit (living area and cab)
Oven
TRUMA Combi 6EH (except ALDE)
Heated waste water tank**
Outside shower warm/cold water**
Rear steadies**

SMART PACK

Two-tone 16" light alloy rims
Comfort steering wheel
Aluminium-grey air vents
Radio controls on steering wheel (A-Class only)

◯ CAMPERVANS, C, 6F, 8F
● OPTIMUM LINE models, 80dF

LOUNGE PACK

Automatic cab air-conditioning
Induction smartphone charger
Digital dashboard

◯ CAMPERVANS, C, 6F, 8F, 80dF (including OPTIMUM LINE models)

ENERGY PACK (factory-installed)

150 W solar panel
150 Ah lithium battery

◯ CAMPERVANS, C, 6F, 8F
● OPTIMUM LINE models

* See details per model in the technical guide. All mentioned options are included in the vehicle price for Right Hand Drive models. The weight of these options is detailed in the technical specifications, and not included in the GVW – it therefore must be deducted from the payload.
** Except VANS.

● Standard ◯ Option

PACKS (OPTION)

ADAPT PACK*

Adaptive cruise control > 30 km/h

Rain and light sensor

◯ CAMPERVANS, C (LOW-PROFILE), 6F (including OPTIMUM LINE models)

ASSIST PACK**

ADAPT PACK

Adaptive cruise control with Stop&Go function

Fog lights with cornering function

100% digital dashboard

Electric parking brake

Comfort steering wheel

◯ CAMPERVANS (including OPTIMUM LINE models)

VISION+ PACK

Electric, defrosting folding wing mirrors

Blind spot detection

◯ CAMPERVANS (including OPTIMUM LINE models)

KEYLESS PACK

Keyless start and lock/unlock

Electric parking brake

◯ CAMPERVANS, C, 6F

KEYLESS PACK

Keyless start and lock/unlock

◯ CAMPERVANS OPTIMUM LINE, C OPTIMUM LINE, 6F OPTIMUM LINE

DRIVE ASSIST PACK

Active distance assist DISTRONIC

Automatic cab air-conditioning THERMOTRONIC and front windscreen wipers with rain sensor

GPS + road sign recognition system

100% LED front lights

◯ i66M, i96M

DRIVE ASSIST PACK

Active distance assist DISTRONIC

Automatic cab air-conditioning THERMOTRONIC and front windscreen wipers with rain sensor

GPS + road sign recognition system

◯ i166M, i196M

* The ADAPT Pack is only available with automatic transmission.
** The ASSIST Pack is only available with automatic transmission.

● Standard ◯ Option

WEIGHT (IMPORTANT INFORMATION)

Weight is a key consideration when choosing your recreational vehicle (motorhome or campervan), along with layout and design. Each motorhome has a maximum weight that must not be exceeded when driving. Here is some information to help you choose the right configuration, according to the weight restrictions, when selecting a new vehicle from our range.

This information is based on the definitions in the EU regulation 2021/535, Annex XIII, Section A, Part 2: Technical Specifications.

1. MTPLM

The Maximum Technically Permissible Laden Mass (MTPLM or M) or Gross Vehicle Weight (GVW) is stipulated by the manufacturer and corresponds to the maximum authorised mass of the vehicle while being driven (e.g. 3,500 kg or 4,400 kg). It includes the weight of the vehicle, occupants, equipment and payload capacity.

Those values are listed in the vehicle's specifications.

2. MIRO

The vehicle's Mass in Running Order (MIRO) includes the vehicle's bodywork, furniture, standard fittings as per the manufacturer's specifications, tanks filled to at least 90% of their capacity (fuel and liquid), and the fixed weight of the driver (75 kg). The permitted tolerance is ±5%. It is recommended that you keep that tolerance in mind while configuring your vehicle and choosing optional fittings, in order to comply with the minimum payload requirement (see point 4 below).

3. NUMBER OF PASSENGERS

The number of seats that may be occupied while driving (excluding the driver) is determined by the manufacturer on delivery according to the selected vehicle configuration and resulting payload capacity.

4. PAYLOAD

For motorhomes, European legislation requires a minimum payload equal to 10 kg multiplied by the total sum of the maximum number of passengers plus the driver plus the total length of the vehicle in metres.

For example, for a 7 metre-long motorhome with 4 driving seats (including the driver), the minimum payload would be 10 kg x (4+7) = 110 kg.

5. WEIGHT OF OPTIONS

The weights stipulated by the manufacturer for optional fittings are values determined by the model's configuration and form the maximum weight of fittings that can be ordered as optional extras. These weight limitation values are specified in order to ensure that sufficient payload capacity remains for loading the vehicle (luggage, plates and bowls, etc.).

If the total weight of selected options exceeds the maximum value set by the manufacturer, the number of driving seats will need to be reduced or optional fittings removed by the manufacturer.

Other accessories installed by the dealer or the owner are not considered original optional fittings and do not fall under the manufacturer's liability. Therefore, their weight is accounted for as part of the payload.

Scan this code for information to help you choose the right configuration, according to the weight restrictions, when selecting your new vehicle from our range.



SCAN THIS QR CODE
AND DISCOVER OUR DIGITAL CATALOGUE

RAPIDO

www.rapido.fr

mediapilote RCS Laval 440 234 599 - Ph. : J. GONZALEZ, Studio AD'HOC Le Mans, Getty images. Some images are generated by artificial intelligence (excludes RAPIDO models and fittings) - Styling: R. Bonenfant - LPMDC - Published 09/2026 (GB) Printed in France

414 RUE DES PERROUINS - CS 20019 - 53101 MAYENNE CEDEX - FRANCE - TEL. : +33 (0) 2 43 30 10 70

In addition to the contractual 2-year warranty for your vehicle and the manufacturer's warranty on original accessories installed during assembly, you are entitled to an 8-year watertightness warranty as long as you have your vehicle checked for moisture on the anniversary of its initial registration for the 7 years following that date. The warranty covering accessories fitted at the dealership is provided by the original manufacturers under their terms and conditions, through the dealership or fitter. The chassis warranty is provided by the chassis manufacturer.
Cost of transport is borne by the customer. Motorhomes, campervans and vans are designed for leisure use. Under no circumstances are they intended to be used as a permanent home.

Some models presented in this catalogue may be shown with optional equipment. Non-contractual photos: stylistic elements, decor and accessories not included. Since part of RAPIDO's production is intended for export, the characteristics of the models shown may vary from one country to another; for an exact definition of the models marketed, please contact your dealer.
RAPIDO reserves the right to make modifications to its models without notice. Despite the care taken in the production of this catalogue, it cannot be taken as a contractual document. Your dealer will be happy to give you any further information you may require.