




YOUR CONFIGURATION (KTRD1MV)

TOURER VAN

500 MQ (2023)

VANSATION



TECHNICAL DATA

BASIC EQUIPMENT

✓ Chassis	VW
✓ Engine power	110 kW / 150 PS
✓ Gearbox	autom.
✓ Total length (cm)	589 cm
✓ Width (outside) (cm)	216 cm
✓ Width (inside) (cm)	200 cm
✓ Height (outside) (cm)	291 cm
✓ Height (inside) (cm)	199 cm
✓ Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.595 kg (2.465 kg - 2.724 kg)
Note: Incl. indication of production-related tolerances of ±5% This information was not yet finalised at the time of publication. Please check this information in our configurator or ask your KNAUS dealer.	
✓ Effective vehicle mass (basic model with optional and basic equipment) (kg)	2.789 kg
Note: This information was not yet finalised at the time of publication. Please check this information in our configurator or ask your KNAUS dealer.	
✓ Technically maximum authorised laden mass (kg)	3.500 kg
✓ Maximum payload (kg)	530 kg
✓ Remaining payload (kg)	472 kg
✓ Wheelbase (cm)	340 cm
✓ Tyre size	-
✓ Rim size	-
✓ Number of persons allowed in driving operation	3
✓ Beds	2
Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	
✓ Max. number of beds	4
Note: For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.	
✓ Automatic three-point belts, height-adjustable	2
✓ Max. belt-secured seats	4
BODY	
✓ Total number of hinged windows	4






YOUR CONFIGURATION (KTRD1MV)

TOURER VAN

500 MQ (2023)

VANSATION



✓	Body door (width x height)	60 x 195
✓	Wall thickness, roof (mm)	32 mm
✓	Wall thickness, side wall (mm)	31 mm
✓	Wall thickness, floor (mm)	40 mm

LIVING AREA

✓	Three-point belts in driving direction	2
✓	Bed size, lifting bed (cm)	– cm

Note:

This information was not yet finalised at the time of publication. Please check this information in our configurator or ask your KNAUS dealer.

✓	Bed size, front (cm)	–
---	----------------------	---

Note:

This information was not yet finalised at the time of publication. Please check this information in our configurator or ask your KNAUS dealer.

✓	Bed size, rear (cm)	135 x 200 cm
---	---------------------	--------------

Note:

This information was not yet finalised at the time of publication. Please check this information in our configurator or ask your KNAUS dealer.

WATER

✓	Waste water volume in liters	58 l
✓	Fresh water volume in liters	65 l

Note:

The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 10 ltr. (suggested filling for running order)

✓	Fill level of the fresh water tank (liter)	10
---	--	----

KITCHEN

✓	Refrigerator (ltr.)	90 l
---	---------------------	------

ELECTRICAL SUPPLY

✓	Living area battery	80
✓	Number of 230 V socket(s)	7
✓	Number of USB socket(s)	4

STANDARD EQUIPMENT

Motorisation / Drive / Gearing / Load increase

✓	224155	VW T6.1 3.200 kg*** 110 kW / 150 PS, automatic gearbox
✓	952791	Reduction of the number of permitted seats in operation from 4 to 3 people

Chassis / Climate Control / Multimedia


✓	224035	Right-hand drive VW
✓	224153	Suspension and damping with increased front axle load, reinforced stabilisers





YOUR CONFIGURATION (KTRD1MV)

TOURER VAN 500 MQ (2023) VANSATION



✓	224151	Chassis uni paint: Ascot grey
✓	224129	Front bumper painted in chassis colour
✓	224154	17" tyres
✓	224131	17" alloy rims devonport
✓	224133	Air conditioning with manual control in the driver's cabin
✓	201862	Driver airbag
✓	200501	Passenger airbag
✓	224134	Premium" multifunction display with multicolour display
✓	224135	Multifunction steering wheel (3 spokes)
✓	224162	Driver and passenger seat with armrests
✓	224136	Lumbar support for left and right single seat in 1st row (both manually adjustable)
✓	224171	Passenger's seat height adjustment
✓	224172	Driver's seat height adjustment
✓	201789	High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style
✓	224049	Cab seats swivelling
✓	224137	Seat heating for driver's and passenger's seats
✓	202887	Laminated glass windscreen with thermal insulation
✓	224138	Front and side window blackout
✓	202871	ESP
✓	202872	Hill Holder (Hill Start Assist)
✓	202873	ABS
✓	202874	Electronic immobiliser
✓	202876	Electromechanical power steering
✓	224140	Emergency Brake Assist
✓	232880	Multi-collision brake
✓	224142	Adaptive Cruise Control (ACC) with speed limitation device
✓	224176	Drowsiness Detection
✓	224143	High-beam Assist "Light Assist"
✓	224163	Start-stop system with brake energy recovery






YOUR CONFIGURATION (KTRD1MV)

TOURER VAN

500 MQ (2023)

VANSATION



✓	224058	Windscreen wipers with interval circuit and rain sensor and automatic headlight switching
✓	224144	Tyre pressure monitoring device
✓	224145	Fog lights incl. cornering light
✓	194000	Fuel tank 70 ltr.
✓	202891	Car key with remote control for central locking for cab doors
✓	202892	Power windows
✓	224065	Electrically adjustable and heated exterior mirrors
✓	224164	Daytime running light with series headlamps
✓	224150	Heated windscreen washer vents and washer water level indicator
✓	224148	Navigation system "Discover Media" including "Streaming & Internet" with 4 speakers
✓	224167	"We Connect" and "We Connect Plus" preparation
✓	251793	Rear view camera incl. wiring
✓	224149	Inductive charging cradle
✓	102273-01	Maximum load capacity of the rear garage: 150 kg
Doors		
✓	102839	Body door: KNAUS KOMFORT
✓	100602	Insect screen door
✓	102840	One-key locking system
Service hatches / Garage doors		
✓	102911	Service/storage space hatches and garage door/hatch with one-hand operation
✓	102915-03	KNAUS ServiceBox
✓	102916-06	Service hatch for ServiceBox/Easy-Travel-Box
✓	102914-01	Easy access to gas locker via the service door located in side wall
✓	304168	Gas locker for 1 x 5 kg gas bottles
✓	100526-33	Garage door 55 x 110 cm, left
✓	100526-30	Garage door 72.5 x 110 cm, right
Windows / Roof Hoods / Ventilation		
✓	102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)
✓	551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)






YOUR CONFIGURATION (KTRD1MV)

TOURER VAN

500 MQ (2023)

VANSATION



- | | | |
|---|-----------|--|
| ✓ | 101721 | Hinged window in roof hood, with insect screen and blackout (bow) |
| ✓ | 102619-03 | Roof hood 40 x 40 cm with insect screen and blackout, clear (rear) |
| ✓ | 100960-04 | Roof hood 28 x 28 cm with insect screen, (toilet room) |

Materials / Vehicle Graphics

- | | | |
|---|-----------|--|
| ✓ | 102926-13 | Hood over cab in LFI technology |
| ✓ | 102926-18 | FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier |
| ✓ | 100887 | GRP roof with reduced hail sensitivity, white |
| ✓ | 104156 | Smooth aluminium sheet Ascot grey |
| ✓ | 102928-05 | Resistant underfloor coating |
| ✓ | 103551-02 | Special foil graphics "VANSATION" |
| ✓ | 103760-01 | KNAUS emblems rear, black/chrome |

Lighting / Technology

- | | | |
|---|-----------|---|
| ✓ | 102933-01 | KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology |
| ✓ | 102933-02 | Registration plate light in LED technology |
| ✓ | 102933-13 | Third brake light in LED |
| ✓ | 252937 | Awning light with motion sensor LED |

Furniture / Surfaces

- | | | |
|---|-----------|---|
| ✓ | 552940-10 | Furniture decor: Matara Teak |
| ✓ | 552944-03 | Durable vinyl flooring, wood style |
| ✓ | 552941-16 | Storage locker hatches with soft-close function |

Living / Sleeping / Upholstery and Fabrics

- | | | |
|---|-----------|---|
| ✓ | 552960-01 | Mono seating group with hanging table, incl. swivel table extension |
| ✓ | 554169 | EvoPore HRC mattress |
| ✓ | 552335-55 | Upholstery selection - Special upholstery: WINTER WHITE "VANSATION" |
| ✓ | 201074 | Floor mat set in driver's cab in KNAUS design |
| ✓ | 550235 | Carpet floor in living area |

Kitchen / Bathroom


- | | | |
|---|-----------|--|
| ✓ | 402985-06 | Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover |
| ✓ | 552941-17 | Kitchen drawers with soft-close function |
| ✓ | 402987 | Compressor refrigerator 90 ltr. (incl. 7.5 ltr. freezer compartment), with night and silent mode |





YOUR CONFIGURATION (KTRD1MV)

TOURER VAN 500 MQ (2023) VANSATION



✓	453502-07	High-quality fittings
✓	453509-07	Folding clothes rail in the toilet room or shower
✓	454165	Xpand bathroom with height-adjustable shower cabin
✓	453503-04	Cassette toilet DOMETIC swivelling
Heating / Air conditioning / Gas Supply / Water Supply		
✓	302973	Gas system 30 mbar
✓	302976	Gas hose version UK
✓	302980	Gas regulator version UK
✓	551327	Smoke detector
✓	551054	Air circulation system 12 V
✓	354105	Diesel heating TRUMA Combi 4 D
✓	450740	Insulating hood waste water tank, heatable
✓	453510-01	Water supply with submerged pump
✓	453510-03	Hot water supply with single-lever mixer tap
✓	453510-07	Water pipes laid in insulated area
✓	452718-01	"bluuwater" water filter system
Electronics / Multimedia / Safety		
✓	253523-02	Power supply / interior lighting with 230 V and 12 V, various interior sockets
✓	253526-04	Networkable electrical system incl. central control panel with display for status of batteries, fresh and waste water tanks and power connection
✓	253534-06	Interior lighting completely in LED technology
✓	253527-02	Charger 216 VA
✓	253530	Circuit breaker
✓	251949-09	USB socket in the rear (1 pc.)
✓	252723	Charging booster for body battery
✓	252524	Atmospheric ambient lighting
✓	253520	230 V SCHUKO sockets "UK" version
✓	250072-06	230 V SCHUKO socket, additional 1 pc. in kitchen
✓	252729	230 V SCHUKO socket, additional 1 pc. in garage






YOUR CONFIGURATION (KTRD1MV)

TOURER VAN

500 MQ (2023)

VANSATION



- | | | |
|-------------------------------------|-----------|--|
| ☒ | 252824-01 | Complete antenna system Oyster 60 Premium, Twin incl. 27" SMART-TV |
|-------------------------------------|-----------|--|

Note:
If this option is selected, the vehicle height increases by approx. 11 cm

- | | | |
|-------------------------------------|--------|-----------|
| ☒ | 252405 | TV holder |
|-------------------------------------|--------|-----------|

Awning / Awning Accessories

- | | | |
|-------------------------------------|-----------|---------------------------------|
| ☒ | 500892-01 | Awning 305 x 250 cm, anthracite |
|-------------------------------------|-----------|---------------------------------|

Miscellaneous

- | | | |
|-------------------------------------|-----------|---------------------------------|
| ☒ | 953542-06 | Operating instruction (English) |
|-------------------------------------|-----------|---------------------------------|

- | | | |
|-------------------------------------|--------|-------------------------------|
| ☒ | 951036 | MOT and registration document |
|-------------------------------------|--------|-------------------------------|

Accessories

- | | | |
|-------------------------------------|--------|----------------------------------|
| ☒ | 953543 | 10-year leak-proofness guarantee |
|-------------------------------------|--------|----------------------------------|

- | | | |
|-------------------------------------|--------|---|
| ☒ | 953547 | First aid material, warning triangle and warning vest |
|-------------------------------------|--------|---|

- | | | |
|-------------------------------------|-----------|------------|
| ☒ | 953757-01 | silwyREADY |
|-------------------------------------|-----------|------------|

YOUR SELECTED OPTIONAL EQUIPMENT

			Weight	Price
Motorisation / Drive / Gearing / Load increase				
✓	224195	Load increase to 3.500 kg	+10 kg	1.867 GBP
	224196	Reinforced coil springs on front and rear axle	+10 kg	
Chassis / Climate Control / Multimedia				
✓	102514	Bicycle carrier for 2 bikes, rear: THULE LIFT V16	+17 kg	672 GBP
		Note: Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.		
Doors				
✓	100212	Electrical entry step	+7 kg	542 GBP
Windows / Roof Hoods / Ventilation				
✓	101019-02	Hinged window 70 x 40 cm, (rear left)	+6 kg	300 GBP
Living / Sleeping / Upholstery and Fabrics				
✓	552247-01	ISOFIX system (1 child seat)	+5 kg	239 GBP
Kitchen / Bathroom				
✓	452678-01	Exterior shower, connection in garage left	+4 kg	271 GBP
Electronics / Multimedia / Safety				
✓	253802	Solar system (100 W)	+9 kg	1.035 GBP





YOUR CONFIGURATION (KTRD1MV)

TOURER VAN 500 MQ (2023) VANSATION



SUMMARY OF YOUR TOTAL COST

	Weight	Price
☒ Total Price & Weight of Standard Equipment	2.731 kg	76.100 GBP
☒ Total Price & Weight of Selected Optional Equipment	58 kg	4.926 GBP
Total Price & Weight of Your Configuration	2.789 kg	81.026 GBP incl. 20% sales tax.



Important technical and legal information on vehicle configuration and weight-related data

In road traffic, each vehicle is approved for only a certain maximum weight. This maximum weight may not be exceeded during operation. The technical and legal requirements for the weight of your vehicle must therefore be given special consideration when you configure and select ancillary equipment ("packages", "equipment features" and "options") from our factory range.

Legal requirements concerning the weight of your vehicle are set out in Implementing Regulation (EU) 2021/535 of the Commission dated 31 March 2021 (up to 6/2022: Regulation (EU) No. 1230/2012 of the Commission dated 12 December 2012). In order to inform you as transparently and comprehensively as possible about the weight-related information listed in the scope of the configuration, the following explanations and information from Knaus Tabbert AG are based on the requirements of this regulation. Please carefully read the following explanations and information on weight-related information before configuring and ordering your vehicle. Our trade partners will also be happy to assist you with the selection and configuration of your vehicle.

I. Terminology

1. The technically permissible maximum mass of the vehicle

The "technically permissible maximum mass" of the vehicle is shown in the certificate of registration Part I (there under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during the journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle before each journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each floor plan is shown in the technical data.

2. The mass of the vehicle in running order

The "mass in running order" means the mass of the vehicle including bodywork and standard factory equipment ("basic equipment" or "standard equipment") including the fuel tank filled to 90% of its capacity according to the standard equipment as well as filled operating materials such as lubricating greases, oils and coolants, tools and tyre puncture assistance plus the mass of the driver calculated at a flat rate of 75 kg by law.

For each floor plan, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle together with the bodywork, including operating materials (e.g. lubricant, oils, and coolants), tools and tyre repair equipment;
- the standard factory equipment (i.e. the basic configuration of the vehicle) equipped with all the features required by law, including any fitted equipment that does not require further specifications at the configuration or equipment level;
- fresh water tank filled to 100% during operation (depending on the vehicle model, the capacity of the fresh water tank is limited to 10, 20, or 40 litres during operation) and an aluminium gas cylinder filled to 100% with a weight of 16 kg;
- the fuel tank filled to 90 % according to standard equipment including fuel
- the driver, whose weight is set at 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value, which is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can directly affect the actual mass of your vehicle and thus the vehicle load capacity or remaining payload. You should therefore definitely take these tolerances into account when configuring your vehicle.

Knaus Tabbert AG calculates the maximum mass of the additional equipment by first subtracting the mass in running order, the mass of the passengers and the minimum payload from the technically permissible total mass.

However, the mass in running order is a calculated nominal value which may be subject to production-related tolerances of up to ± 5 % (cf. item I., 2.). The occurrence of these production-related tolerances could, if the calculated available mass for additional equipment is utilised, result in the minimum payload not in fact being complied with.

In order to prevent such a shortfall in the minimum payload, Knaus Tabbert AG takes into account the permissible weight deviations occurring for each floor plan when determining the maximum mass of the additional equipment.

II. Technical and legal information

1. Legally permissible tolerances in the calculation of weight data

The masses in running order given in the technical data are calculated nominal values, which are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials (e.g. wood) as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. Because these legally permissible tolerances have a direct effect on the actual mass of your vehicle and thus also on the possible vehicle load capacity or remaining payload, you should be sure to take them into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

2. Effect of the legally permissible tolerances

If, through the selection of ancillary equipment, the actual vehicle mass is increased to such an extent that there is no longer sufficient load capacity between the actual vehicle mass and the technically permissible maximum mass to carry the maximum number of passengers permitted and the minimum payload, depending on the floor plan, you can increase the vehicle load, reduce the number of seats permitted during operation, and/or deselect ancillary equipment in order to be able to continue the configuration. If this does not happen, the configuration and thus also the ordering process for your vehicle cannot be continued.

If necessary, check with your Knaus Tabbert AG dealer that the technically permissible maximum mass is not exceeded (i.e. that there is sufficient load capacity for passengers and luggage; see below for minimum payload).

However, irrespective of whether compliance with the minimum payload is guaranteed, you should observe the legally permissible production-related tolerances for the mass in running order within the scope of the configuration because these always affect the load capacities. You can therefore order only a maximum mass of ancillary equipment for each floor plan.

If you order the vehicle from the above example with ancillary equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a payload of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass of your vehicle in running order is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

3. The actual vehicle mass

The "actual vehicle mass" refers to the mass of the vehicle in running order plus the mass of any factory-fitted ancillary equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The "mass of the driver" is set at 75 kg regardless of the actual weight of the driver. Because the mass of the driver is already included in the mass in running order, it is not taken into account in the mass of passengers permitted.

The "mass of the passengers" results from the maximum number of persons permitted during operation as determined in the type approval procedure minus the driver's mass set at 75 kg.

For each floor plan, the number of persons permitted during operation is shown in the technical data.

Here, the mass of the passengers is also set at 75 kg per passenger regardless of their actual weight. Thus, for a vehicle with a maximum of four persons permitted during operation, the mass of the passengers is 225 kg (3 × 75 kg).

5. Standard equipment and ancillary equipment

The "standard equipment" ("basic equipment" or "series equipment") refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at the configuration or equipment level.

Details of the standard equipment ("basic equipment" or "standard equipment") are provided for the floor plan you have selected as part of the configuration below.

The "ancillary equipment" ("packages", "equipment features", and "options") refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Ancillary equipment in this sense does not include other accessories that are installed in the vehicle by you or your trading partner after delivery of the vehicle by the manufacturer.

Details of the (equipment) packages, features, and options that can be ordered at the factory are provided for the floor plan you have selected as part of the configuration below.

Please note that the installation of ancillary equipment always results in a reduction of the payload (see Item 6.). The maximum mass of ancillary equipment that can be selected for the respective floor plan can be found in the information on the respective vehicle floor plans (see Item 7.).

6. The payload and the minimum payload

The "payload" is calculated by subtracting the mass in running order, the mass of the passengers, and the manufacturer's maximum mass of the ancillary equipment from the technically permissible maximum mass.

European legislation prescribes a fixed "minimum payload" for motorhomes; this must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be undercut when configuring your vehicle and is calculated using the following formula:

Minimum payload in kg ≥ 10 × (n + L)
The following applies: "n" = maximum number of passengers plus the driver and "L" = total length of the vehicle in metres.

7. The maximum mass of the ancillary equipment

To ensure that the legally prescribed minimum payload is complied with, the "maximum mass of the ancillary equipment" is specified by the manufacturer for each floor plan. This is therefore the mass available for the selection of optional factory-fitted ancillary equipment ("packages", "equipment features", and "options") whilst complying with the minimum payload required by law.

Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared with the mass in running order of 2,968 kg stated in the technical data)
- 3 × 75 kg	Mass of the passengers
- 150 kg	Ancillary equipment ordered for the specifically configured vehicle
= 127 kg	Remaining load capacity (important: the remaining load capacity must be greater than the minimum payload, see Item 6)

We therefore recommend that you weigh your loaded vehicle before each journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, this check is your responsibility.