



YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



TECHNICAL DATA

BASIC EQUIPMENT

✓ Chassis	FIAT
✓ Engine power	132 kW / 180 PS
✓ Gearbox	man.
✓ Vehicle category	CITY
✓ Total length (cm)	636 cm
✓ Width (outside) (cm)	205 cm
✓ Width (inside) (cm)	187 cm
✓ Height (outside) (cm)	282 cm
✓ Height (inside) (cm)	218 cm
✓ Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.923 kg (2.776 kg - 3.069 kg)
Note: Incl. indication of production-related tolerances of ±5%	
✓ Effective vehicle mass (basic model with optional and basic equipment) (kg)	3.047 kg
✓ Technically maximum authorised laden mass (kg)	3.500 kg
✓ Maximum payload (kg)	116 kg
✓ Remaining payload (kg)	74 kg
✓ Towing load (kg)	3.000 kg
✓ Wheelbase (cm)	403 cm
✓ Tyre size	-
✓ Rim size	-
✓ Beds	3
Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	
✓ Max. number of beds	7
Note: For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.	
✓ Number of persons allowed in driving operation	4
✓ Automatic three-point belts, height-adjustable	2
✓ Max. belt-secured seats	4





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



BODY

☒	Total number of hinged windows	7
☒	Wall thickness, floor (mm)	25 mm

LIVING AREA

☒	Three-point belts in driving direction	2
☒	Bed size, rear lifting bed with compact bathroom (cm)	–
☒	Bed size, transverse rear lifting bed with optional separate bathroom (cm)	–
☒	Bed size, rear lateral bunk bed underneath with compact bathroom (cm)	–
☒	Bed size, transverse rear bunk bed underneath with optional separate bathroom (cm)	–
☒	Bed size, rear longitudinal lifting beds with compact bathroom (cm)	188/184 x 173
☒	Bed size, rear longitudinal lifting beds with optional separate bathroom (cm)	196/184 x 173
☒	Bed size, rear longitudinal bunk bed with compact bathroom (cm)	193/189 x 184
☒	Bed size, rear longitudinal bunk bed with optional separate bathroom (cm)	202/189 x 184
☒	Bed size, spare bed on semi-dinette and driver's seat (cm)	160 x 60
☒	Bed size, guest bed optional (cm)	180 x 70
☒	Bed size, Classic lifting bed (cm)	176 x 130
☒	Bed size, Vario lifting bed (cm)	194 x 130

WATER

☒	Waste water volume in liters	90 l
☒	Fresh water volume in liters	102 l

Note:

The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 20 ltr. (suggested filling for running order)
The fresh water tank capacity is 102 ltr. with the overflow valve closed.

☒	Fill level of the fresh water tank (liter)	20
-------------------------------------	--	----

KITCHEN

☒	Refrigerator (ltr.)	138 l
-------------------------------------	---------------------	-------

ELECTRICAL SUPPLY

☒	Living area battery	100Ah
☒	Number of 12 V socket(s)	2
☒	Number of 230 V socket(s)	4
☒	Number of USB socket(s)	3





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



STANDARD EQUIPMENT

Motorisation / Drive / Gearing / Load increase

✓	204375	FIAT Ducato 3.500 kg*** MAXI; 2.2 l 180 Multijet; front-wheel drive; Euro 6e (132 kW/180 HP); 6-speed manual gearbox
✓	204383	8-speed automatic gearbox

Chassis / Climate Control / Multimedia

✓	202848	Disk brakes
✓	200318	Right-hand drive FIAT with speedometer mph
✓	202139	Headlights in black frame
✓	204384	Radiator grille cover in body colour, painted
✓	201788	Front bumper painted in chassis colour
✓	202132	16" tyres
✓	203808	All-weather tyres
✓	201815	Alloy rims for standard tyres
✓	201862	Driver airbag
✓	200501	Passenger airbag
✓	201952-01	Driver's seat height adjustment
✓	201952	Passenger's seat height adjustment
✓	201519	Steering wheel and gear knob in leather
✓	203730	Instrument panel in Techno design (aluminium)
✓	222884	Cupholder in centre console
✓	200975-01	Original FIAT Captainchair seats with armrests
✓	204386	Drawer under seats
✓	200633	Cab seats swivelling
✓	201074	Floor mat set in driver's cab in KNAUS design
✓	202133	Seat box cladding for cab seats
✓	550610	Front and side window blackout
✓	200567	Tempomat® - Cruise Control
✓	202871	ESP
✓	202872	Hill Holder (Hill Start Assist)





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



✓	202873	ABS
✓	202874	Electronic immobiliser
✓	202876	Electromechanical power steering
✓	203755	Trailer Stability Control System
✓	203756	Post Collision Braking System
✓	222881	Crosswind Assist
✓	201787	"Traction Plus" traction aid, including Hill Descent Assist
✓	201062	Rear parking aid
✓	200178-02	Fog lights with cornering lights (for heavy chassis)
✓	204265	Fix&Go Tire Repair Kit
✓	204388	Fuel tank 60 litres
✓	202891	Car key with remote control for central locking for cab doors
✓	202892-02	Power windows (driver's and passenger's door)
✓	200488	Electrically adjustable and heated exterior mirrors
✓	201609	Electrically folding exterior mirrors
✓	202901-01	Daytime running light with series headlamps
✓	252161	Reading spots in cab
✓	250599	Radio preparation incl. 2 loudspeakers in living area
✓	204389	Preparation for multimedia
✓	252143	All-in-one navigation system
✓	251793	Rear view camera incl. wiring
✓	203933	Preparation for trailer hitch
Doors		
✓	102064	Insect screen door
✓	101080	Electrical entry step, 70 cm wide
✓	102910	Sliding door with manual closing aid
Service hatches / Garage doors		
✓	102915-05	KNAUS Technology module with supply installations
✓	102914-08	Gas locker for gas bottle reserves 1 x 2.7 kg





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



Windows / Roof Hoods / Ventilation

☒	102919	Comfort roller blind system
☒	102918	Windows with safety lock
☒	102323	Frame window SEITZ S7P
☒	100750-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)
☒	101982-01	SEITZ frame window SEITZ S7P 80 x 40 cm, rear right (with sliding door limiter)
☒	101981-03	SEITZ frame window SEITZ S7P 80 x 40 cm, rear left
☒	102922	Frame windows for rear doors
☒	101666-01	Hinged window 28 x 30 cm with insect screen and blackout, (toilet room)
☒	102920-03	Mushroom fan (toilet room)

Materials / Vehicle Graphics

☒	102928-03	Floor plate in sandwich construction
☒	102927-08	Breathable soft-touch side wall cladding
☒	102928-10	Temperature-controlled intermediate floor in seating group
☒	103551-33	Special foil graphics "60 YEARS"
☒	103760	KNAUS emblems front and rear, black/chrome

Lighting / Technology

☒	102497	Gutter above sliding door with dimmable LED lighting
-------------------------------------	--------	--

Furniture / Surfaces

☒	552940-10	Furniture decor: Matara Teak
☒	552941-07	Furniture construction in full carcass design with dowelling technology
☒	552941-01	Vertical furniture surfaces with ABS coating
☒	552943-01	Kitchen worktop and table in seating group in CPL (laminated)
☒	552941-27	Aluminium / rod profile with round edges
☒	552941-22	Furniture hinges with spring reinforcement
☒	552941-13	Drawers, hatches and doors flushy fitted in furniture body
☒	552941-14	Kitchen drawers with soft-close function and ball bearing mounted full extension
☒	552941-11	Ceiling cabinet hatch with handles, rocker arms and soft-close function

Living / Sleeping / Upholstery and Fabrics

☒	554391	Einteiliger Rückenpolster für Dinettensitzbank und großer Tisch
-------------------------------------	--------	---





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



✓	552348-01	Dinette seat extension through side pull-out (also while driving)
✓	552960-09	Comfort function for dinette seating group
✓	552130-01	Floating dinette table, swivelling
✓	552247	ISOFIX system (2 child seats)
✓	552945-07	2-layer cold foam mattresses with breathable and durable mattress cover
✓	552949-01	Rear lifting bed with slatted frame
✓	554392	Mattress topper
✓	554397	Upholstery: Vegan Leather alternative "NATURAL STONE" "PLATINUM SELECTION"
Kitchen / Bathroom		
✓	402985-06	Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover
✓	303501	Gas control units centrally arranged
✓	402996	Kitchen worktop with foldable extension
✓	453504	WC disposal tunnel with full cladding
✓	453505-02	Toilet / shower room with washstand, cassette toilet, sliding mirror and storage compartments
✓	453505-20	Compact bathroom with innovative shower curtain (with air ring): Shower tray with at least 2 drains
✓	453503-04	Cassette toilet Thetford swivelling
Heating / Air conditioning / Gas Supply / Water Supply		
✓	302976	Gas hose version UK
✓	302980	Gas regulator version UK
✓	551327	Smoke detector
✓	351231	Diesel heating TRUMA Combi 6 D
✓	352379	Electrical heating element for TRUMA Combi D
✓	352059	TRUMA CP-Plus digital heating control panel
✓	450740	Insulating hood waste water tank, heatable
✓	453510-01	Water supply with submerged pump
✓	453510-03	Hot water supply with single-lever mixer tap
✓	453510-06	Water pipes laid with circulating air hose
✓	452718-01	"bluuwater" water filter system





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



Electronics / Multimedia / Safety

☒	253533	Electr. automatic charger for body / vehicle battery
☒	253522	CEE external socket for 230 V, with circuit breaker
☒	253529	Ground fault circuit interrupter
☒	253526-05	Bord-Control panel with digital display for power/water/waste water/battery
☒	253534-04	LED lighting living area (exception: entrance light + luggage compartment)
☒	252723	Charging booster for body battery
☒	232667-01	Charger with 25A charging capacity, suitable for lithium batteries
☒	252615	Lighting control
☒	252623	Ambient lighting: plinth light (night light); RGB light rear ceiling; with separate bath: RGB light in canopy; with classic bath: LED-band side wall and ceiling
☒	253520	230 V SCHUKO sockets "UK" version
☒	250072-05	230 V SCHUKO socket, additional 1 pc. in front left-hand ceiling cabinet
☒	250072-04	230 V SCHUKO socket, additional 1 pc. in the rear
☒	250940-04	12 V power socket (1 pc.)
☒	252625-01	Reading lamp gooseneck in seating area incl. USB socket
☒	252405-01	TV holder in living area incl. combi socket

Awning / Awning Accessories

☒	501646-04	Awning 400 x 250 cm, anthracite
		Note: Awning size differs for technical reasons when choosing the pop-up roof

Miscellaneous

☒	953542-06	Operating instruction (English)
☒	951036	MOT and registration document

Accessories

☒	953543	10-year leak-proofness guarantee
☒	954273	Soap and washing-up liquid dispenser

YOUR SELECTED OPTIONAL EQUIPMENT

		Weight	Price
Chassis / Climate Control / Multimedia			
☒	202852-01	Chassis uni paint: White	





YOUR CONFIGURATION (KKCS0DT)

BOXLIFE

630 ME (2025)

PLATINUM SELECTION



Packages

☒	210028	Lounge package		853 GBP
	203727	Inductive charging cradle		
	203725	Virtual cockpit		
	201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		

Windows / Roof Hoods / Ventilation

☒	100750-03	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (rear)	+8 kg	439 GBP
-------------------------------------	-----------	---	-------	---------

Kitchen / Bathroom

☒	403923	Compressor refrigerator 138 ltr. (incl. 11.6 ltr. freezer compartment), with night and silent mode	+14 kg	359 GBP
		Note: Wardrobe omitted		
☒	453608	Floor insert for shower tray	+3 kg	72 GBP

Electronics / Multimedia / Safety

☒	253747	LiFePO4-on-board battery (instead of standard battery)	-12 kg	1.120 GBP
☒	253802	Solar system (100 W)	+11 kg	1.017 GBP
	251948	Pre-cabling for solar and satellite systems	+2 kg	

SUMMARY OF YOUR TOTAL COST

	Weight	Price
☒ Total Price & Weight of Standard Equipment	3.005 kg	77.446 GBP
☒ Total Price & Weight of Selected Optional Equipment	42 kg	3.860 GBP
Total Price & Weight of Your Configuration	3.047 kg	81.306 GBP incl. 20% sales tax.



Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

= 127 kg

Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.