



YOUR CONFIGURATION (KTD6GQJ)

BOXTIME

600 MQ (2026)



TECHNICAL DATA

BASIC EQUIPMENT

✓ Chassis	FIAT
✓ Engine power	103 kW / 140 PS
✓ Gearbox	autom.
✓ Vehicle category	CITY
✓ Total length (cm)	599 cm
✓ Width (outside) (cm)	205 cm
✓ Width (inside) (cm)	187 cm
✓ Height (outside) (cm)	258 cm
✓ Height (inside) (cm)	190 cm
✓ Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.805 kg (2.664 kg - 2.945 kg)
Note: Incl. indication of production-related tolerances of ±5% Unfortunately, this value was not yet available when the price list was printed / published. We will update the values as soon as possible on the brand website and in the configurator. Please consult your KNAUS dealer for further details.	
✓ Effective vehicle mass (basic model with optional and basic equipment) (kg)	2.965 kg
Note: Unfortunately, this value was not yet available when the price list was printed / published. We will update the values as soon as possible on the brand website and in the configurator. Please consult your KNAUS dealer for further details.	
✓ Technically maximum authorised laden mass (kg)	3.500 kg
Note: Unfortunately, this value was not yet available when the price list was printed / published. We will update the values as soon as possible on the brand website and in the configurator. Please consult your KNAUS dealer for further details.	
✓ Maximum payload (kg)	231 kg
✓ Remaining payload (kg)	160 kg
✓ Towing load (kg)	2.500 kg
✓ Technically permissible maximum laden mass of the vehicle combination	6.000 kg
✓ Wheelbase (cm)	403 cm
✓ Tyre size	225/75 R 16 C 116 R, 215/70 R R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen
✓ Rim size	6J x 16 Alu Fiat, 6J x 15 Alu Fiat, 6J x 15
✓ Number of persons allowed in driving operation	4





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME

600 MQ (2026)



✓ Beds	3
Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	
✓ Max. number of beds	5
Note: For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.	
✓ Automatic three-point belts, height-adjustable	2
✓ Max. belt-secured seats	4
BODY	
✓ Total number of hinged windows	7
✓ Wall thickness, floor (mm)	25 mm
LIVING AREA	
✓ Three-point belts in driving direction	2
✓ Bed size, rear lateral beds with single-piece slatted frame with compact bathroom (cm)	193 x 160/140
Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓ Bed size, rear longitudinal bed with compact bathroom (cm)	–
Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓ Bed dimensions rear drop-down bed, transverse (cm)	193 x 160/140
Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓ Bed dimensions rear drop-down bed, lengthways (cm)	–
Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓ Bed size, guest bed optional (cm)	180 x 70
Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓ Bed dimensions pop-up roof (cm)	135 x 200
Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
WATER	
✓ Waste water volume in liters	90 l
✓ Fresh water volume in liters	102 l
Note: The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 20 ltr. (suggested filling for running order) The fresh water tank capacity is 102 ltr. with the overflow valve closed.	

Changes and errors excepted.

Further Information:

<https://www.knaus.com/en-uk>

Creation date: 27.02.2026 09:05:37
Data version: 2026.02.17-1.1





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME 600 MQ (2026)



✓	Fill level of the fresh water tank (liter)	20 l
KITCHEN		
✓	Refrigerator (ltr.)	84 l
ELECTRICAL SUPPLY		
✓	Living area battery	100Ah
✓	Number of 12 V socket(s)	2
✓	Number of 230 V socket(s)	5
✓	Number of USB socket(s)	5

STANDARD EQUIPMENT

Motorisation / Drive / Gearing / Load increase

✓	204372-01	FIAT Ducato 3,500 kg*** (103 kW / 140 hp); front-wheel drive; Euro 6e-bis
---	-----------	---

Chassis / Climate Control / Multimedia

✓	200318	Right-hand drive FIAT with speedometer mph
✓	203720-01	Spoiler (skid-plate)
✓	202139	Headlights in black frame
✓	204384	Radiator grille cover in body colour, painted
✓	201788	Front bumper painted in chassis colour
✓	203808	All-weather tyres Note: For EU tyre labels, see appendix "EU Tyre Labels".
✓	201815	Alloy rims for standard tyres Note: For EU tyre labels, see appendix "EU Tyre Labels".
✓	201862	Driver airbag
✓	200501	Passenger airbag
✓	201952-01	Driver's seat height adjustment
✓	201952	Passenger's seat height adjustment
✓	201519-01	Techno leather steering wheel and gear knob
✓	203730	Instrument panel in Techno design (aluminium)
✓	222884	Cupholder in centre console
✓	200975-01	Original FIAT Captainchair seats with armrests
✓	204386	Storage tray under the driver's seat
✓	201789	High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME 600 MQ (2026)



✓	200633	Cab seats swivelling
✓	202133	Seat box cladding for cab seats
✓	550610	Front and side window blackout
✓	200567	Tempomat ® - Cruise Control
✓	202871	ESP
✓	202872	Hill Holder (Hill Start Assist)
✓	202873	ABS
✓	202874	Electronic immobiliser
✓	202876	Electromechanical power steering
✓	203755	Trailer Stability Control System
✓	203756	Post Collision Braking System
✓	222881	Crosswind Assist
✓	201787	"Traction Plus" traction aid, including Hill Descent Assist
✓	200178-01	Front fog lights with cornering light
✓	204265	Fix&Go Tire Repair Kit
✓	204388	Fuel tank 60 litres
✓	202891	Car key with remote control for central locking for cab doors
✓	202892-02	Power windows (driver's and passenger's door)
✓	200488	Electrically adjustable and heated exterior mirrors
✓	202901-01	Daytime running light with series headlamps
✓	252161	Reading spots in cab
✓	250599	Radio preparation incl. 2 loudspeakers in living area
✓	204389	Preparation for multimedia
✓	203933	Preparation for towbar hitch
✓	102870	Lashing rails for securing the load
Doors		
✓	102064	Insect screen door
✓	101080	Electrical entry step, 70 cm wide
Service hatches / Garage doors		
✓	552964-10	Large variable storage space in the rear
✓	102914-07	Gas locker for gas bottle reserves 1 x 5 kg

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 27.02.2026 09:05:37
Data version: 2026.02.17-1.1

PAGE
4 / 10

KNAUS
FREIHEIT, DIE BEWEGT.





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME

600 MQ (2026)



Windows / Roof Hoods / Ventilation

☒	102918	Windows with safety lock
☒	102323	Frame window SEITZ S7P
☒	103586	Panorama window (bow)
☒	100750-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)
☒	102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)
☒	551834	Combination roller blinds with insect screen and blackout on rear wing doors
☒	102920-03	Mushroom fan (toilet room)
☒	101666-08	Hinged window with insect screen and blackout, (toilet room)

Materials / Vehicle Graphics

☒	102927-01	Cold bridge-optimised insulation
☒	102927-03	Innovative side wall and roof construction with different insulation materials
☒	102928-03	Floor plate in sandwich construction
☒	102928-10	Temperature-controlled intermediate floor in seating group

Lighting / Technology

☒	102497	Gutter above sliding door with dimmable LED lighting
-------------------------------------	--------	--

Furniture / Surfaces

☒	552940-32	Furniture decor: Oak Salinas
☒	552941-07	Furniture construction in full carcass design with dowelling technology
☒	552941-22	Furniture hinges with spring reinforcement
☒	552941-01	Vertical furniture surfaces with ABS coating
☒	552943-01	Kitchen worktop and table in seating group in CPL (laminated)
☒	552941-14	Kitchen drawers with soft-close function and ball bearing mounted full extension
☒	552941-39	Push-Lock for secure locking of drawers in the kitchen
☒	552944	Vinyl flooring

Living / Sleeping / Upholstery and Fabrics

☒	554391-27	Compact wardrobe located behind kitchen
☒	554391-01	Comfortable contoured upholstery and large table in dinette bench seat
☒	552960-07	Dinette seat bench with integrated heating
☒	552960-09	Comfort function for dinette seating group
☒	552130-01	Floating dinette table, swivelling
☒	552247-01	ISOFIX system (1 child seat)

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 27.02.2026 09:05:37
Data version: 2026.02.17-1.1





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME 600 MQ (2026)



✓	552964-30	Bulkhead wall to the garage with integrated step
✓	552954-06	Textile room divider
✓	552696	Table leg extension
✓	554633	Folding clothes rail
✓	552945-01	EvoPore HRC mattress, fixed beds only
✓	554638	Slatted frame with disc springs
✓	552949-02	Rear lateral beds with full-size slatted frame
✓	552335-01	Upholstery selection: TURIN

Kitchen / Bathroom

✓	402985-06	Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover
✓	402987	Compressor refrigerator 84 ltr. (incl. 7.5 ltr. freezer compartment), with night and silent mode
✓	401940	Kitchen multifunctional back panel
✓	404621	Küchenarbeitsplatte mit ausziehbarer Verlängerung
✓	402993-09	High-quality ball-bearing pull-out with soft-close function, with cutlery insert
✓	303501	Gas control units centrally arranged
✓	453505-32	Swivelling wall pool
✓	453504-01	WC disposal tunnel with panelling for easier cleaning
✓	453503-04	Cassette toilet Thetford swivelling
✓	453508-02	Shower tray with polygon structure
✓	452495	Folding clothes rail in wet room on ceiling and coat hooks (2 pcs.)

Heating / Air conditioning / Gas Supply / Water Supply

✓	302976	Gas hose version UK
✓	551327	Smoke detector
✓	551054	Air circulation system 12 V
✓	353759	TRUMA iNetX heating control panel
✓	450740	Insulating hood waste water tank, heatable
✓	453510-01	Water supply with submerged pump
✓	453510-03	Hot water supply with single-lever mixer tap
✓	453510-06	Water pipes laid with circulating air hose
✓	454653	Preparation for water filter

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 27.02.2026 09:05:37
Data version: 2026.02.17-1.1

PAGE
6 / 10

KNAUS
FREIHEIT, DIE BEWEGT.





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME

600 MQ (2026)



Electronics / Multimedia / Safety

✓	253524	Automatic connection/disconnection for starter and on-board battery
✓	253533	Electr. automatic charger for body / vehicle battery
✓	253522	CEE external socket for 230 V, with circuit breaker
✓	253529	Ground fault circuit interrupter
✓	253526-06	LED Bord-Control panel with indication of all important functions
✓	252723	Charging booster for on-board battery
✓	253523-07	Central, easily accessible device and supply installation
✓	232667-01	Charger with 25A charging capacity, suitable for lithium batteries
✓	253534-03	Interior lighting in LED technology
✓	252615-01	8-channel lighting control
✓	250940-06	12 V power socket in the kitchen (1 piece)
✓	250940-03	12 V power socket, additional 1 pc. in garage
✓	251949-13	USB socket (1 piece), in the toilet room
✓	251949-07	USB socket in kitchen area (1 pc.)
✓	253520	230 V SCHUKO sockets "UK" version
✓	250072-06	230 V SCHUKO socket, additional 1 pc. in kitchen
✓	250072-04	230 V SCHUKO socket, additional 1 pc. in the rear
✓	253534-04	LED lighting living area (exception: entrance light + luggage compartment)
✓	252498-01	Ambient lighting in living area/washroom
✓	254625	Preparation PV

Awning / Awning Accessories

✓	501646-03	Awning 375 x 250 cm, anthracite
Note: Awning size differs for technical reasons when choosing the pop-up roof		

Miscellaneous

✓	953542-06	Operating instruction (English)
✓	951036	MOT and registration document

Accessories

✓	953543	10-year leak-proofness guarantee
---	--------	----------------------------------





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME

600 MQ (2026)



YOUR OPTIONAL EQUIPMENT

		Weight	Price
Chassis / Climate Control / Multimedia			
✓	201786-02	Chassis in metallic paint: Fer Grey	+1 kg 745 GBP
✓	202392	Seat heating for driver's and passenger's seats	+1 kg 693 GBP
✓	201074	Floor mat set in driver's cab in KNAUS design	+2 kg 104 GBP
✓	204617	10" FIAT navigation device	+1 kg 2.008 GBP
	251793	Rear view camera incl. wiring	+1 kg
Packages			
✓	211200	Package "Autonomous driving - level 2"	+18 kg 5.691 GBP
	203741	Safety Pack Co-Driver FIAT	+1 kg
	202150	Tyre pressure monitoring system	+1 kg
	204383	8-speed automatic gearbox	+35 kg
	203729	Electric parking brake	-9 kg
	203727	Inductive charging cradle	
	203725	Virtual cockpit	
	201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	
✓	211215	Vision Pack 360	+2 kg 2.183 GBP
	203740	360° parking sensors	
	202762	Cross traffic and Lane Change Assist	
	201609	Electrically folding exterior mirrors	+1 kg
	201062	Rear parking aid	+1 kg
	203733	Digital Central "Rearviewmirror": digital rear-vision mirror	
Windows / Roof Hoods / Ventilation			
✓	102619-02	Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)	+3 kg 189 GBP
✓	101981-01	Hinged window, rear right (with insect screen and blackout)	+5 kg 341 GBP
✓	101981-02	Hinged window, rear left (with insect screen and blackout)	+5 kg 341 GBP
✓	102922	Frame windows for rear doors	
Living / Sleeping / Upholstery and Fabrics			
✓	552046	Additional lateral bed	+8 kg 274 GBP
✓	554636	Rear lifting bed, electrically powered	1.749 GBP
✓	554393	Carpet in the seating and living area	+3 kg 218 GBP
Kitchen / Bathroom			
✓	453608	Floor insert for shower tray	+3 kg 74 GBP

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 27.02.2026 09:05:37
Data version: 2026.02.17-1.1





YOUR CONFIGURATION (KTD6GQJ)

BOXTIME 600 MQ (2026)



✓	452678-02	Outdoor shower, connection in garage	+4 kg	271 GBP
Heating / Air conditioning / Gas Supply / Water Supply				
✓	301956	TRUMA MonoControl CS (incl. gas filter)	+1 kg	336 GBP
✓	354173	Diesel heating TRUMA Combi 6 D	+16 kg	345 GBP
✓	352379	Electrical heating element for TRUMA Combi D	+1 kg	1.103 GBP
Electronics / Multimedia / Safety				
✓	253748-02	LiFePO4-board battery	+12 kg	1.346 GBP
✓	252479	Pre-cabling for TV in the sleeping area	+1 kg	87 GBP

SUMMARY

	Weight	Price
✓ Price & Weight of Standard Equipment	2.894 kg	72.795 GBP
✓ Price & Weight of Optional Equipment	71 kg	18.098 GBP
Total Price & Weight of Your Configuration	2.965 kg	90.893 GBP incl. 20% sales tax






YOUR CONFIGURATION (KTD6GQJ) BOXTIME 600 MQ (2026)




Appendix "EU Tyre Labels":

201815 - Alloy rims for standard tyres




EU information sheet (EU-Server) >>

202132 - 16" tyres



EU information sheet (EU-Server) >>

203808 - All-weather tyres



EU information sheet (EU-Server) >>

For logistical and production-related reasons, it is not possible to order a specific brand of tyre.
Changes and errors excepted.

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 27.02.2026 09:05:37
Data version: 2026.02.17-1.1



Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

= 127 kg Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.