



YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



TECHNICAL DATA

BASIC EQUIPMENT

✓ Chassis	MAN
✓ Engine power	103 kW / 140 PS
✓ Gearbox	autom.
✓ Vehicle category	ACTIVE PLUS
✓ Total length (cm)	689 cm
✓ Width (outside) (cm)	220 cm
✓ Width (inside) (cm)	205 cm
✓ Height (outside) (cm)	290 cm
✓ Height (inside) (cm)	196 cm
✓ Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.950 kg (2.802 kg - 3.097 kg)
Note: Incl. indication of production-related tolerances of ±5%	
✓ Effective vehicle mass (basic model with optional and basic equipment) (kg)	3.170 kg
✓ Technically maximum authorised laden mass (kg)	3.500 kg
✓ Maximum payload (kg)	85 kg
✓ Remaining payload (kg)	31 kg
✓ Towing load (kg)	2.400 kg
✓ Technically permissible maximum laden mass of the vehicle combination	5.900 kg
✓ Wheelbase (cm)	364 cm
✓ Tyre size	235/60 R 17 C 117 R
✓ Rim size	6,5J x 17 H2 ET 60 LM "Lismore" Original VW in Schwarz
✓ Number of persons allowed in driving operation	3
✓ Beds	2
Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	
✓ Max. number of beds	2
Note: For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.	

Changes and errors excepted.

Further Information:

<https://www.knaus.com/en-uk>

Creation date: 12.02.2026 15:44:20

Data version: 2026.02.10-1.1

PAGE
1 / 9

KNAUS
FREIHEIT, DIE BEWEGT.





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



✓	Automatic three-point belts, height-adjustable	2
✓	Max. belt-secured seats	4
BODY		
✓	Total number of hinged windows	4
✓	Body door (width x height)	60 x 195
✓	Wall thickness, roof (mm)	32 mm
✓	Wall thickness, side wall (mm)	31 mm
✓	Wall thickness, floor (mm)	50 mm
LIVING AREA		
✓	Three-point belts in driving direction	2
✓	Bed size, lifting bed (cm)	– cm
	Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓	Bed size, front (cm)	–
	Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
✓	Bed size, rear (cm)	200 x 80; 198 x 80 cm
	Note: The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your MARKE dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).	
WATER		
✓	Waste water volume in liters	73 l
✓	Fresh water volume in liters	100 l
	Note: The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 10 ltr. (suggested filling for running order) The fresh water tank capacity is 100 ltr. with the overflow valve closed.	
✓	Fill level of the fresh water tank (liter)	10 l
KITCHEN		
✓	Refrigerator (ltr.)	150 l
ELECTRICAL SUPPLY		
✓	Living area battery	80Ah
✓	Number of 12 V socket(s)	1
✓	Number of 230 V socket(s)	6





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



✓ Number of USB socket(s)

2

STANDARD EQUIPMENT

Motorisation / Drive / Gearing / Load increase

- | | | |
|---|--------|---|
| ✓ | 224443 | VW Crafter 35 3.500kg ^{***} , 2,0 l TDI; Euro VI HD; SCR; 8-Gang-Automatikgetriebe (103kW/140PS) |
| ✓ | 224178 | Front-wheel drive |

Chassis / Climate Control / Multimedia

- | | | |
|---|-----------|--|
| ✓ | 224035 | Right-hand drive VW |
| ✓ | 202060 | 2-channel air suspension |
| ✓ | 224037 | Chassis in metallic paint: Indium Grey |
| ✓ | 224038-01 | 17" alloy wheels "Lismore" with tyres, in black (original VW)
<small>Note:
For EU tyre labels, see appendix "EU Tyre Labels".</small> |
| ✓ | 224040 | Air conditioning "Climatic", manual |
| ✓ | 222883 | Driver and passenger airbag with passenger airbag deactivation |
| ✓ | 224046 | Height adjustment for cab seats |
| ✓ | 224047 | Smoker version with cigarette lighter and ashtray |
| ✓ | 224048 | Original VW cab seats |
| ✓ | 201789 | High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style |
| ✓ | 224049 | Cab seats swivelling |
| ✓ | 202887 | Laminated glass windscreen with thermal insulation |
| ✓ | 202888 | Front side windows fitted with thermal insulation glass |
| ✓ | 552768 | Front and side window blackout REMIfront V system |
| ✓ | 202871 | ESP |
| ✓ | 202872 | Hill Holder (Hill Start Assist) |
| ✓ | 202873 | ABS |
| ✓ | 202874 | Electronic immobiliser |
| ✓ | 202876 | Electromechanical power steering |
| ✓ | 224473 | Electronic parking brake with auto-hold function |
| ✓ | 224053 | Emergency Brake Assist |
| ✓ | 224056 | Automatic Traffic Sign Recognition |

Changes and errors excepted.

Further Information:

<https://www.knaus.com/en-uk>

Creation date: 12.02.2026 15:44:20

Data version: 2026.02.10-1.1

PAGE
3 / 9

KNAUS
FREIHEIT, DIE BEWEGT.





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS 650 MEG (2026) PLATINUM SELECTION



✓	224474	Distraction and fatigue detection
✓	232898	Start-stop system with brake energy recovery
✓	224061	Tyre pressure sensors VW Crafter
✓	202890	Fuel tank 75 ltr.
✓	202892-02	Power windows (driver's and passenger's door)
✓	202895	Exterior mirrors manually adjustable
✓	232903	Remote folding key (2 pc.)
✓	224476	Central locking with keyless start system "Keyless Start" without safe lock
✓	224477	Digital cockpit
✓	224478	1x USB-C charging socket for mobile devices in the mirror base on the windscreen and 2x USB-C data and charging socket in the dashboard
✓	224479	Radio infotainment system "Composition" 10.4"
✓	224072	Digital radio reception (DAB+)
✓	224663	Wired & Wireless App Connect
✓	252684-01	Rear view camera incl. wiring
✓	102273	Maximum load capacity of the rear garage: 250 kg
✓	232700-01	Preparation for trailer hitch
Doors		
✓	100602	Insect screen door
✓	100212	Electrical entry step
✓	102840	One-key locking system
Service hatches / Garage doors		
✓	102911	Service/storage space hatches and garage door/hatch with one-hand operation
✓	102915-06	KNAUS ServiceBox
✓	102916-01	Service hatch for ServiceBox 53 x 37.5 cm, bow left
✓	102914-01	Easy access to gas locker via the service door located in side wall
✓	102914-07	Gas locker for gas bottle reserves 1 x 5 kg
✓	100526-15	Garage door 80 x 110 cm, left
✓	100526-16	Garage door 80 x 110 cm, right





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



Windows / Roof Hoods / Ventilation

☒	102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)
☒	551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)
☒	101721	Hinged window in roof hood, with insect screen and blackout (bow)
☒	101019-02	Hinged window 70 x 40 cm, (rear left)
☒	100960-04	Roof hood 28 x 28 cm with insect screen, (toilet room)

Materials / Vehicle Graphics

☒	102926-18	FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier
☒	100887	GRP roof with reduced hail sensitivity
☒	103717	Plain sheet side walls, Campovolo Grey
☒	102927-06	Inner side wall in aluminium sheet with textile lining
☒	102928-02	Sandwich floor with GRP underfloor coating
☒	102928-08	Insulated garage floor with durable GRP floor coating
☒	103551-01	Special foil graphics "PLATINUM SELECTION"

Lighting / Technology

☒	102933-01	KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology
☒	102933-12	Third brake light integrated at the rear
☒	252937	Awning light with motion sensor LED

Furniture / Surfaces

☒	552940-11	Furniture decor: Egmond Elm
☒	552941-29	Combination of high-quality furniture construction with accent surfaces in Samoa decor
☒	552944-03	Durable vinyl flooring, wood style

Living / Sleeping / Upholstery and Fabrics

☒	552960-01	Mono seating group with hanging table, incl. swivel table extension
☒	552945-01	EvoPore HRC mattress, fixed beds only
☒	551796	Bed extension to make one large sleeping surface
☒	552188-05	Upholstery selection: ACTIVE ROCK "PLATINUM SELECTION"

Kitchen / Bathroom

☒	402985-05	2-burner cooker with glass cover, stainless steel sink, recessed
☒	400369-01	Gas oven incl. grill function (installation location in the kitchen block)

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 12.02.2026 15:44:20
Data version: 2026.02.10-1.1

PAGE
5 / 9

KNAUS
FREIHEIT, DIE BEWEGT.





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



✓	402602	Compressor refrigerator 150 ltr. (incl. 17 ltr. freezer compartment), with external soundproofed compressor unit
✓	552941-17	Kitchen drawers with soft-close function
✓	453502-07	High-quality fittings
✓	453509-07	Folding clothes rail in the toilet room or shower
✓	453505-16	Comfort bathroom with shower and washbasin
✓	453503-01	Bench toilet Thetford
Heating / Air conditioning / Gas Supply / Water Supply		
✓	302973	Gas system 30 mbar
✓	302976	Gas hose version UK
✓	551054	Air circulation system 12 V
✓	354173	Diesel heating TRUMA Combi 6 D
✓	352379	Electrical heating element for TRUMA Combi D
✓	352059	TRUMA CP-Plus digital heating control panel
		Note: If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.
✓	450740	Insulating hood waste water tank, heatable
✓	453510-01	Water supply with submerged pump
✓	453510-03	Hot water supply with single-lever mixer tap
✓	453510-07	Water pipes laid in insulated area
Electronics / Multimedia / Safety		
✓	253523-02	Power supply / interior lighting with 230 V and 12 V, various interior sockets
✓	253526-04	Networkable electrical system incl. central control panel with display for status of batteries, fresh and waste water tanks and power connection
✓	253534-06	Interior lighting completely in LED technology
✓	232667-01	Charger with 25A charging capacity, suitable for lithium batteries
✓	253530	Circuit breaker
✓	251949-02	USB socket in the front (1 pc.)
✓	251949-09	USB socket in the rear (1 pc.)
✓	253520	230 V SCHUKO sockets "UK" version
✓	250072-06	230 V SCHUKO socket, additional 1 pc. in kitchen
✓	252729	230 V SCHUKO socket, additional 1 pc. in garage





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



☒	252524	Atmospheric ambient lighting
☒	253747-02	LiFePO4-on-board battery
☒	252405	TV holder
☒	254632	Pre-wiring for TV (living area)
☒	252479	Pre-cabling for TV in the sleeping area
☒	253651	External LTE / WIFI antenna
Awning / Awning Accessories		
☒	501646-03	Awning 375 x 250 cm, anthracite
Miscellaneous		
☒	953542-06	Operating instruction (English)
☒	951036	MOT and registration document
Accessories		
☒	953543	10-year leak-proofness guarantee
☒	953546	First aid material and warning triangle
☒	953548	Tyre repair kit: 12 V compressor and tyre sealant
☒	953549	On-board tools

YOUR OPTIONAL EQUIPMENT

		Weight	Price
Motorisation / Drive / Gearing / Load increase			
☒	952791	Reduction of the number of permitted seats in operation from 4 to 3 people	
Chassis / Climate Control / Multimedia			
☒	224050	Seat heating for driver's and passenger's seats	+1 kg 344 GBP
Packages			
☒	215255	Light & assistance package	+6 kg 2.534 GBP
	224058	Windscreen wipers with interval circuit and rain sensor and automatic headlight switching	
	224066	LED main headlight with LED daytime running light	+5 kg
	224468	Automatic distance control ACC with Stop & Go	
		Note: Stop & Go - function only with automatic transmission!	
	224467	Driver assistant "Travel Assist" including lane keeping assistant "Lane Assist"	
	224059	High-beam Assist "Light Assist"	+1 kg

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 12.02.2026 15:44:20
Data version: 2026.02.10-1.1

PAGE
7 / 9

KNAUS
FREIHEIT, DIE BEWEGT.





YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION



224466

Daytime running lights with driving light control (automatic), "Leaving home" function and manual "Coming home" function

Doors			
✓	102576	Body door: KNAUS EXKLUSIV	+2 kg 288 GBP
Service hatches / Garage doors			
✓	102522-02	Service/storage space hatches and garage door/hatch with central locking	+2 kg 868 GBP
Windows / Roof Hoods / Ventilation			
✓	101944	Panorama skylight 130 x 45 cm (rear)	+12 kg 587 GBP
Living / Sleeping / Upholstery and Fabrics			
✓	552688	Additional rear cabinets, left and right above single beds	+4 kg 300 GBP
✓	552247-01	ISOFIX system (1 child seat)	+5 kg 239 GBP
✓	201074	Floor mat set in driver's cab in KNAUS design	+2 kg 104 GBP
✓	550235	Carpet floor in living area	+6 kg 415 GBP
Heating / Air conditioning / Gas Supply / Water Supply			
✓	301956	TRUMA MonoControl CS (incl. gas filter)	+1 kg 336 GBP
✓	551327	Smoke detector	32 GBP
✓	302494	Gas detector	126 GBP
✓	300518	External gas socket	+1 kg 235 GBP
Electronics / Multimedia / Safety			
✓	250941	Combi external socket (electricity + TV)	114 GBP
✓	253782	Solar system (200 W)	+17 kg 1.662 GBP

SUMMARY

	Weight	Price
✓ Price & Weight of Standard Equipment	3.116 kg	82.592 GBP
✓ Price & Weight of Optional Equipment	54 kg	8.184 GBP
Total Price & Weight of Your Configuration	3.170 kg	90.776 GBP incl. 20% sales tax

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 12.02.2026 15:44:20
Data version: 2026.02.10-1.1

PAGE
8 / 9

KNAUS
FREIHEIT, DIE BEWEGT.






YOUR CONFIGURATION (KNJQD5T)

VAN TI PLUS

650 MEG (2026)

PLATINUM SELECTION





Appendix "EU Tyre Labels":

224038-01 - 17" alloy wheels "Lismore" with tyres, in black (original VW)



Continental 0451399

235/60 R 17 C 117/115 R C2



2020/70

EU information sheet (EU-Server) >>

Changes and errors excepted.

Changes and errors excepted.
Further Information:
<https://www.knaus.com/en-uk>

Creation date: 12.02.2026 15:44:20
Data version: 2026.02.10-1.1

PAGE
9 / 9

KNAUS
FREIHEIT, DIE BEWEGT.



Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

= 127 kg Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.