



YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



TECHNICAL DATA

BASIC EQUIPMENT

✓ Chassis	VW
✓ Engine power	130 kW / 177 PS
✓ Gearbox	autom.
✓ Total length (cm)	747 cm
✓ Width (outside) (cm)	220 cm
✓ Width (inside) (cm)	205 cm
✓ Height (outside) (cm)	301 cm
✓ Height (inside) (cm)	196 cm
✓ Mass in running order (basic model without optional equipment but with basic equipment) (kg)	3.060 kg (2.907 kg - 3.213 kg)
Note: Incl. indication of production-related tolerances of ±5%	
✓ Effective vehicle mass (basic model with optional and basic equipment) (kg)	3.273 kg
✓ Technically maximum authorised laden mass (kg)	4.000 kg
✓ Maximum payload (kg)	573 kg
✓ Remaining payload (kg)	507 kg
✓ Towing load (kg)	2.200 kg
✓ Wheelbase (cm)	449 cm
✓ Maximum speed (km/h)	120 km/h
✓ Tyre size	235/65 R 16 C
✓ Rim size	6,5J x 16 H2
✓ Number of persons allowed in driving operation	2
✓ Beds	4
Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	
✓ Max. number of beds	4
Note: For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.	
✓ Automatic three-point belts, height-adjustable	2
✓ Max. belt-secured seats	4





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



BODY

✓	Total number of hinged windows	4
✓	Body door (width x height)	70 x 195
✓	Wall thickness, roof (mm)	32 mm
✓	Wall thickness, side wall (mm)	31 mm
✓	Wall thickness, floor (mm)	40 mm

LIVING AREA

✓	Three-point belts in driving direction	0
✓	Bed size, lifting bed (cm)	– cm
✓	Bed size, front (cm)	185 x 145
✓	Bed size, rear (cm)	201 x 140/105 cm

WATER

✓	Waste water volume in liters	73 l
✓	Fresh water volume in liters	100 l

Note:

The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 10 ltr. (suggested filling for running order)
The fresh water tank capacity is 100 ltr. with the overflow valve closed.

✓	Fill level of the fresh water tank (liter)	10
---	--	----

KITCHEN

✓	Refrigerator (ltr.)	142 l
---	---------------------	-------

ELECTRICAL SUPPLY

✓	Living area battery	80
✓	Number of 12 V socket(s)	1
✓	Number of 230 V socket(s)	6
✓	Number of USB socket(s)	2

STANDARD EQUIPMENT

Motorisation / Drive / Gearing / Load increase

✓	224030	VW Crafter 35 3.500 kg***; 2,0 l TDI; Euro 6d-Final; SCR; 8-speed automatic transmission (130 kW/177 HP)
✓	224178	Front-wheel drive

Chassis / Climate Control / Multimedia

✓	224035	Right-hand drive VW
---	--------	---------------------





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



✓	202060	2-channel air suspension
✓	224037	Chassis in metallic paint: Indium Grey
✓	224039	Front bumper in grey with painted frame in chassis colour
✓	212561	16" tyres on steel rims with wheel-centre cover, silver Note: For EU tyre labels, see appendix "EU Tyre Labels".
✓	224040	Air conditioning "Climatic", manual
✓	224043	Multifunction display "Plus":
✓	222648	Multifunction steering wheel (3 spokes)
✓	222883	Driver and passenger airbag with passenger airbag deactivation
✓	224046	Height adjustment for cab seats
✓	224047	Smoker version with cigarette lighter and ashtray
✓	224048	Original VW cab seats
✓	201789	High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style
✓	224049	Cab seats swivelling
✓	202887	Laminated glass windscreen with thermal insulation
✓	202888	Front side windows fitted with thermal insulation glass
✓	552768	Front and side window blackout REMIfont V system
✓	224052	Cruise control with speed limitation device
✓	202871	ESP
✓	202872	Hill Holder (Hill Start Assist)
✓	202873	ABS
✓	202874	Electronic immobiliser
✓	202876	Electromechanical power steering
✓	224053	Emergency Brake Assist
✓	232880	Multi-collision brake
✓	224057	Drowsiness Detection
✓	232898	Start-stop system with brake energy recovery
✓	202890	Fuel tank 75 ltr.
✓	202892-02	Power windows (driver's and passenger's door)





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



✓	202895	Exterior mirrors manually adjustable
✓	202901	Daytime running light with series headlamps
✓	232903	Remote folding key (2 pc.)
✓	232902	12 V socket in cab (in the dashboard)
✓	224071	Navigation system "Discover Media" including "Streaming & Internet" with 4 speakers
✓	224072	Digital radio reception (DAB+)
✓	252684-01	Rear view camera incl. wiring
✓	102273	Maximum load capacity of the rear garage: 250 kg
✓	232700-01	Preparation for trailer hitch
Doors		
✓	102564	Body door: KNAUS PREMIUM
✓	100602	Insect screen door
✓	100212	Electrical entry step
✓	102840	One-key locking system
Service hatches / Garage doors		
✓	102911	Service/storage space hatches and garage door/hatch with one-hand operation
✓	102915-03	KNAUS ServiceBox
✓	102916-01	Service hatch for ServiceBox 53 x 37.5 cm, bow left
✓	102914-01	Easy access to gas locker via the service door located in side wall
✓	102914-10	Gas locker for 2 x 11 kg gas bottles
✓	100526-43	Storage hatch 70 x 24 cm, left
✓	100526-08	Garage door 65 x 94 cm, right
Windows / Roof Hoods / Ventilation		
✓	102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)
✓	101721	Hinged window in roof hood, with insect screen and blackout (bow)
✓	102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)
✓	100960-04	Roof hood 28 x 28 cm with insect screen, (toilet room)
Materials / Vehicle Graphics		
✓	102926-18	FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier
✓	100887	GRP roof with reduced hail sensitivity, white





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



✓	103717	Plain sheet side walls, Campovolo Grey
✓	102927-06	Inner side wall in aluminium sheet with textile lining
✓	102928-02	Sandwich floor with GRP underfloor coating
✓	102928-08	Insulated garage floor with durable GRP floor coating
✓	103551-01	Special foil graphics "PLATINUM SELECTION"

Lighting / Technology

✓	102933-01	KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology
✓	102933-12	Third brake light integrated at the rear
✓	252937	Awning light with motion sensor LED

Furniture / Surfaces

✓	552940-11	Furniture decor: Egmond Elm
✓	552941-29	Combination of high-quality furniture construction with accent surfaces in Samoa decor
✓	552944-03	Durable vinyl flooring, wood style

Living / Sleeping / Upholstery and Fabrics

✓	552960-02	Lounge seating group
✓	551234	Bed extension in foot area, layouts with F-bed
✓	552188-05	Upholstery selection: ACTIVE ROCK "PLATINUM SELECTION"

Kitchen / Bathroom

✓	402985-01	3-burner cooker with glass cover, stainless steel sink, recessed
✓	400369-01	Gas oven incl. grill function (installation location in the kitchen block)
✓	402767	Refrigerator 142 ltr.
✓	402417	Automatic energy selection for refrigerator (AES)
✓	552941-17	Kitchen drawers with soft-close function
✓	453502-07	High-quality fittings
✓	453509-07	Folding clothes rail in the toilet room or shower
✓	453505-15	Longitudinal washroom with shower
✓	453503-01	Bench toilet Thetford

Heating / Air conditioning / Gas Supply / Water Supply

✓	102675	Gas bottle pull-out for max. 2 x 11 kg gas bottles
✓	302973	Gas system 30 mbar





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



✓	302976	Gas hose version UK
✓	302980	Gas regulator version UK
✓	551054	Air circulation system 12 V
✓	351166	Heating TRUMA Combi 6
✓	351274	Heating TRUMA Combi E
✓	352059	TRUMA CP-Plus digital heating control panel
	Note: If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.	
✓	453510-01	Water supply with submerged pump
✓	453510-03	Hot water supply with single-lever mixer tap
✓	453510-07	Water pipes laid in insulated area
✓	452718-01	"bluuwater" water filter system
Electronics / Multimedia / Safety		
✓	253523-02	Power supply / interior lighting with 230 V and 12 V, various interior sockets
✓	253526-04	Networkable electrical system incl. central control panel with display for status of batteries, fresh and waste water tanks and power connection
✓	253534-06	Interior lighting completely in LED technology
✓	253530	Circuit breaker
✓	251949-02	USB socket in the front (1 pc.)
✓	251949-09	USB socket in the rear (1 pc.)
✓	252723	Charging booster for body battery
✓	253520	230 V SCHUKO sockets "UK" version
✓	250072-06	230 V SCHUKO socket, additional 1 pc. in kitchen
✓	252729	230 V SCHUKO socket, additional 1 pc. in garage
✓	252524	Atmospheric ambient lighting
✓	252479	Pre-cabling for TV in the sleeping area
✓	253651	External LTE / WIFI antenna
Awning / Awning Accessories		
✓	501333-01	Awning 405 x 250 cm, anthracite
Miscellaneous		
✓	953542-06	Operating instruction (English)





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



✓	951036	MOT and registration document
---	--------	-------------------------------

Accessories

✓	953543	10-year leak-proofness guarantee
✓	953546	First aid material and warning triangle
✓	953548	Tyre repair kit: 12 V compressor and tyre sealant
✓	953549	On-board tools
✓	954273	Soap and washing-up liquid dispenser

YOUR SELECTED OPTIONAL EQUIPMENT

		Weight	Price
Motorisation / Drive / Gearing / Load increase			
✓	232769	Load increase from 3.500 kg*** to 4.000 kg***	332 GBP
Chassis / Climate Control / Multimedia			
✓	200394	Crank supports, rear	+4 kg 361 GBP
Packages			
✓	225030	Energy Plus Package	964 GBP
	252654	Touch-Control-Panel with intuitive operating concept of networked components, incl. indoor and outdoor temperature sensor instead of standard Control-Panel	
	232667	Intelligent charger with 25 A charging power	
	251757	Battery sensor for on-board battery	
✓	210021	Safety II Package	+4 kg 1.106 GBP
	252733	Alarm system "Cobra"	+4 kg
	252734	Gas sensor as addition to the alarm system	
Windows / Roof Hoods / Ventilation			
✓	102685	Panorama skylight 130 x 45 cm (bow)	+12 kg 329 GBP
Living / Sleeping / Upholstery and Fabrics			
✓	552574	EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	+6 kg 435 GBP
✓	552687	Conversion of the seating group into a guest bed incl. lowerable single-column lifting table	+2 kg 506 GBP
✓	201074	Floor mat set in driver's cab in KNAUS design	+2 kg 86 GBP
Heating / Air conditioning / Gas Supply / Water Supply			
✓	551327	Smoke detector	32 GBP
✓	300518	External gas socket	+1 kg 237 GBP





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS

700 LF (2024)

PLATINUM SELECTION



Electronics / Multimedia / Safety

☒	253782	Solar system (200 W)	+17 kg	1.676 GBP
☒	252583	Complete antenna system Oyster 60 Premium, Twin	+15 kg	2.640 GBP
Note: If this option is selected, the vehicle height increases by approx. 11 cm				
☒	252284	32" TV device with HD tuner	+5 kg	1.043 GBP
☒	252283	Electric TV comfort pull-out in living area	+6 kg	1.236 GBP

SUMMARY OF YOUR TOTAL COST

	Weight	Price
☒ Total Price & Weight of Standard Equipment	3.207 kg	82.370 GBP
☒ Total Price & Weight of Selected Optional Equipment	66 kg	10.983 GBP
Total Price & Weight of Your Configuration	3.273 kg	93.353 GBP incl. 20% sales tax.





YOUR CONFIGURATION (KDLT1BE)

VAN TI PLUS


700 LF (2024)

PLATINUM SELECTION




Appendix "EU Tyre Labels":

212561 - 16" tyres on steel rims with wheel-centre cover, silver



EU information sheet (EU-Server) >>

212561 - 16" tyres on steel rims with wheel-centre cover, silver



EU information sheet (EU-Server) >>

For logistical and production-related reasons, it is not possible to order a specific brand of tyre.
Changes and errors excepted.



Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

= 127 kg Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.