



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

TECHNICAL DATA

BASIC EQUIPMENT

Chassis	FIAT
Engine power	132 kW / 180 PS
Gearbox	autom.
Vehicle category	CITY
Total length (cm)	636 cm
Width (outside) (cm)	205 cm
Width (inside) (cm)	187 cm
Height (outside) (cm)	282 cm
Height (inside) (cm)	218 cm
Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.858 kg (2.715 kg - 3.000 kg)

Note:
Incl. indication of production-related tolerances of $\pm 5\%$

Effective vehicle mass (basic model with optional and basic equipment) (kg)	3.082 kg
Technically maximum authorised laden mass (kg)	3.500 kg
Maximum payload (kg)	105 kg
Remaining payload (kg)	39 kg
Towing load (kg)	3.000 kg
Technically permissible maximum laden mass of the vehicle combination	6.500 kg
Wheelbase (cm)	403 cm

Tyre size	225/75 R 16 CP, 215/70 R 15 CP
Rim size	6J x 16 H2

Number of persons allowed in driving operation	4
--	---

Beds	3
Note: Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.	

Max. number of beds	5
---------------------	---

Note:
For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.

Automatic three-point belts, height-adjustable	2
--	---

Max. belt-secured seats	5
-------------------------	---

Further Information:
<https://weinsberg.com/en-uk>

Creation date: 25.11.2025 15:52:42
Data version: 2025.05.20-1.1



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

BODY

Total number of hinged windows	4
Wall thickness, floor (mm)	25 mm

LIVING AREA

Three-point belts in driving direction	2
Bed size, lifting bed (cm)	– cm
Bed size, high-roof bed EasySlide (cm)	–
Bed size, seating group (spare bed) (cm)	145 x 70 cm
Bed size, guest bed optional (cm)	180 x 70
Bed size, rear (cm)	170 x 193/206 cm

WATER

Waste water volume in liters	90 l
Fresh water volume in liters	102 l

Note:
 The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by an overflow valve to 20 ltr. (suggested filling for running order)
 The fresh water tank capacity is 102 ltr. with the overflow valve closed.

Fresh water volume in liters	–
Note: The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by an overflow valve to 20 ltr. (suggested filling for running order) The fresh water tank capacity is 80 ltr. with the overflow valve closed.	
Fill level of the fresh water tank (liter)	20

KITCHEN

Refrigerator (ltr.)	75 l
---------------------	------

ELECTRICAL SUPPLY

Living area battery	95
Number of 12 V socket(s)	1
Number of 230 V socket(s)	3
Number of USB socket(s)	3



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

STANDARD EQUIPMENT

Motorisation / Drive / Gearing / Load increase

Art. No.	
204375	FIAT Ducato 3.500 kg*** MAXI; 2.2 l 180 Multijet; front-wheel drive; Euro 6e (132 kW/180 HP); 6-speed manual gearbox
204383	8-speed automatic gearbox

Chassis / Climate Control / Multimedia

Art. No.	
200318	Right-hand drive FIAT with speedometer mph
202139	Headlights in black frame
203808	All-weather tyres
	Note: For EU tyre labels, see appendix "EU Tyre Labels".
201862	Driver airbag
200501	Passenger airbag
201952-01	Driver's seat height adjustment
201952	Passenger's seat height adjustment
222884	Cupholder in centre console
200975-01	Original FIAT Captainchair seats with armrests
204386	Storage tray under the driver's seat
201789	High-quality fitted seat covers for driver's/passenger's seat in WEINSBERG fabric style
200633	Cab seats swivelling
202133	Seat box cladding for cab seats
550610	Front and side window blackout
200567	Tempomat ® - Cruise Control
202871	ESP
202872	Hill Holder (Hill Start Assist)
202873	ABS
202874	Electronic immobiliser
202876	Electromechanical power steering
203755	Trailer Stability Control System
203756	Post Collision Braking System
222881	Crosswind Assist
201787	"Traction Plus" traction aid, including Hill Descent Assist

Further Information:
<https://weinsberg.com/en-uk>

PAGE 3 / 10

Creation date: 25.11.2025 15:52:42
 Data version: 2025.05.20-1.1

WEINSBERG

Dein Urlaub!



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

204265	Fix&Go Tire Repair Kit
204388	Fuel tank 60 litres
202891	Car key with remote control for central locking for cab doors
202892-02	Power windows (driver's and passenger's door)
200488	Electrically adjustable and heated exterior mirrors
252161	Reading spots in cab
250599	Radio preparation incl. 2 loudspeakers in living area
204389	Preparation for multimedia
203933	Preparation for towbar hitch
102333-03	Lashing eyes in the floor

Doors

Art. No.	
102064	Insect screen door
101080	Electrical entry step, 70 cm wide

Service hatches / Garage doors

Art. No.	
102912	Service hatch WC with magnetic holding function on body
552964-10	Large variable storage space in the rear
102914-07	Gas locker for gas bottle reserves 1 x 5 kg

Windows / Roof Hoods / Ventilation

Art. No.	
102918	Windows with safety lock
102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)
100750-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)
102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)
102920-03	Mushroom fan (toilet room)
101666-08	Hinged window with insect screen and blackout, (toilet room)

Materials / Vehicle Graphics

Art. No.	
102927-01	Cold bridge-optimised insulation
102927-03	Innovative side wall and roof construction with different insulation materials
102928-03	Floor plate in sandwich construction

Further Information:
<https://weinsberg.com/en-uk>

PAGE 4 / 10

Creation date: 25.11.2025 15:52:42
 Data version: 2025.05.20-1.1

WEINSBERG

Dein Urlaub!



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

102927-07	Side walls with breathable fabric lining
102928-10	Temperature-controlled intermediate floor in seating group
103551-28	Special foil graphics „EDITION [FIRE]“

Lighting / Technology

Art. No.	
102497	Gutter above sliding door with dimmable LED lighting

Furniture / Surfaces

Art. No.	
552940-19	Furniture decor: Tiberino
552941-07	Furniture construction in full carcass design with dowelling technology
552941-12	Drawers with full extension and roller guide
552942-01	Furniture flaps in white / decor

Living / Sleeping / Upholstery and Fabrics

Art. No.	
554391	One-piece back cushion for dinette bench and large table
552348	Extendable bench seat
552247	ISOFIX system (2 child seats)
552960-07	Dinette seat bench with integrated heating
552962-02	EasyEntry table with free dinette access
552960-09	Comfort function for dinette seating group
554392	Mattress topper
552335-94	Upholstery: EDITION [FIRE] - FIFTY SHADES

Kitchen / Bathroom

Art. No.	
402985-06	Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover
402988	Energy-efficient compressor refrigerator 75 ltr. (incl. 10.2 ltr. freezer compartment), with external soundproofed compressor unit
401940	Kitchen multifunctional back panel
402496	Kitchen worktop with foldable extension and 2 bag holders
453505-10	Ergonomic toilet room with generous storage compartments, integrated shower and removable shower curtain, ceiling bracket for shower head
453504	WC disposal tunnel with full cladding
453508	Shower tray with sand dune haptic

Further Information:
<https://weinsberg.com/en-uk>

PAGE 5 / 10

Creation date: 25.11.2025 15:52:42
 Data version: 2025.05.20-1.1

WEINSBERG

Dein Urlaub!



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

452495	Folding clothes rail in wet room on ceiling and coat hooks (2 pcs.)
453503-04	Cassette toilet Thetford swivelling

Heating / Air conditioning / Gas Supply / Water Supply

Art. No.	
302976	Gas hose version UK
302980	Gas regulator version UK
551327	Smoke detector
551054	Air circulation system 12 V
351231	Diesel heating TRUMA Combi 6 D
353759	TRUMA iNetX heating control panel
453510-01	Water supply with submerged pump
453510-03	Hot water supply with single-lever mixer tap
453510-06	Water pipes laid with circulating air hose

Electronics / Multimedia / Safety

Art. No.	
253524	Switch / disconnect automatic for starter and body battery
253533	Electr. automatic charger for body / vehicle battery
253522	CEE external socket for 230 V, with circuit breaker
253529	Ground fault circuit interrupter
253526-06	LED Bord-Control panel with indication of all important functions
252723	Charging booster for body battery
251949-09	USB socket in the rear (1 pc.)
251949-07	USB socket in kitchen area (1 pc.)
253520	230 V SCHUKO sockets "UK" version
250072-02	230 V SCHUKO socket, additional 1 pc. in seating group
250072-04	230 V SCHUKO socket, additional 1 pc. in the rear
253534-04	LED lighting living area (exception: entrance light + luggage compartment)
252498-01	Ambient lighting in living area/washroom
252405-01	TV holder in living area incl. combi socket



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

Awning / Awning Accessories

Art. No.	
501646-04	Awning 400 x 250 cm, anthracite
	Note: Awning size differs for technical reasons when choosing the pop-up roof

Miscellaneous

Art. No.	
953542-06	Operating instruction (English)
951036	MOT and registration document

Accessories

Art. No.	
953543	10-year leak-proofness guarantee

YOUR OPTIONAL EQUIPMENT

Chassis / Climate Control / Multimedia

Art. No.		Weight	Price
203794-02	Chassis in special paint: Lanzarote Grey	+2 kg	616 GBP
201074	Floor mat set in driver's cab in WEINSBERG design	+2 kg	84 GBP

Packages

Art. No.		Weight	Price
210048	Styling package II - HEAVY	+11 kg	1.767 GBP
203730	Instrument panel in Techno design (aluminium)		
202132	16" tyres	+10 kg	
	Note: For EU tyre labels, see appendix "EU Tyre Labels".		
201815	Alloy rims for standard tyres		
	Note: For EU tyre labels, see appendix "EU Tyre Labels".		
201519	Steering wheel and gear knob in leather		
201788	Front bumper painted in chassis colour	+1 kg	
203723	Full LED front lighting (low beam, high beam and indicators)		
210005	MEDIA package	+1 kg	1.543 GBP

Further Information:
<https://weinsberg.com/en-uk>

Creation date: 25.11.2025 15:52:42
 Data version: 2025.05.20-1.1

PAGE 7 / 10

WEINSBERG

Dein Urlaub!



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

252143	All-in-one navigation system	+2 kg	
251793	Rear view camera incl. wiring	+1 kg	
210028	Lounge package		853 GBP
203727	Inductive charging cradle		
203725	Virtual cockpit		
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		

Windows / Roof Hoods / Ventilation

Art. No.		Weight	Price
102436	2 windows on rear doors (with insect screen and darkening)	+10 kg	496 GBP

Living / Sleeping / Upholstery and Fabrics

Art. No.		Weight	Price
552696	Table leg extension		25 GBP
552046	Additional lateral bed	+11 kg	270 GBP
552130	Swivel table, single (without guest bed)	+3 kg	
554393	Carpet in the seating and living area	+3 kg	215 GBP

Kitchen / Bathroom

Art. No.		Weight	Price
453608	Floor insert for shower tray	+3 kg	72 GBP

Heating / Air conditioning / Gas Supply / Water Supply

Art. No.		Weight	Price
352379	Electrical heating element for TRUMA Combi D	+1 kg	1.084 GBP

Electronics / Multimedia / Safety

Art. No.		Weight	Price
253802	Solar system (100 W)	+11 kg	1.017 GBP
251948	Pre-cabling for solar and satellite systems	+2 kg	
252408-05	21.5" SMART TV set with HD tuner, in living area	+3 kg	780 GBP



YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

SUMMARY

	Weight	Price
Price & Weight of Standard Equipment	3.016 kg	70.826 GBP
Price & Weight of Optional Equipment	66 kg	8.822 GBP
Total Price & Weight of Your Configuration	3.082 kg	79.648 GBP incl. 20% sales tax




YOUR CONFIGURATION (WDCN3WT)

CaraBus 630 MEG (2025) EDITION [FIRE]

Appendix "EU Tyre Labels":


201815 - Alloy rims for standard tyres
202132 - 16" tyres



EU information sheet (EU-Server) >>

For logistical and production-related reasons, it is not possible to order a specific brand of tyre.
Changes and errors excepted.

203808 - All-weather tyres



EU information sheet (EU-Server) >>

Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022; EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:

Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

= 127 kg

Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.